

(Click on Well Log ID to Access Image of Well Strip Log)

LACLEDE

(Records are Sorted by Township, Range, and Section)

LOG ID: 003357

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1935/05/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,342FT

County Base Map

DRILL DEPTH:

DEPTH TO BED:

722FT **70FT**

170

32N 12W 8

UTM X 563,950.95

UTM Y 4,149,996.31

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FΤ

REMARKS: MANES 7.5 - 1 MI E OF LYNCHBURG

Driller's Log Attached

LOG ID: 013556

WELL TYPE

Private Well

DRILL DATE:

1955/05/02

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,322FT

ZONE 15

ZONE 15

DRILL DEPTH:

185FT

32N 12W 9

UTM X

564,656.95

UTM Y 4,150,630.30

DEPTH TO BED:

20FT

REMARKS: WINNIPEG 7.5 - 1.5 MI E OF LYNCHBURG

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021934

Noncommunity Public Well

20

DRILL DATE:

1963/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,123FT

DRILL DEPTH:

327FT

32N

13W

5FT

15

17

UTM X 557,970.97

UTM Y 4,148,943.34

DEPTH TO BED:

175

FT

REMARKS: WINNIPEG 7.5 - AT NEBO

LOG ID:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE

022334

Private Well

DRILL DATE:

1963/10/12

TOWNSHIP 32N

RANGE SECTION **ELEVATION:**

554,582.98

1.125FT

4,148,758.36

DRILL DEPTH:

130FT

13W

UTM X UTM Y

ZONE 15

ZONE 15

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

11

REMARKS: COMPETITION 7.5

2/27/2007

3,053



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022133

WELL TYPE Private Well

DRILL DATE: 1963/08/17 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,062FT

<u>DRILL DEPTH:</u> 151FT 32N 13W 18

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 25FT 551,857.00 4,148,200.37

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: COMPETITION 7.5 - 0.75 MI S & E OF COMPETITION

S.W.L. (AFTER CASING): 69

LOG ID: 025097

WELL TYPE Private Well

DRILL DATE: 1966/12/12 TOWNSHIP RANGE SECTION ELEVATION: 1,009FT

DRILL DEPTH: 122FT 32N 13W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 552,048.99 4,149,465.37

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: COMPETITION 7.5 - "BOILERHOUSE SAMPLES"

S.W.L. (AFTER CASING):

LOG ID: 026743 WELL TYPE Private Well

<u>DRILL DATE:</u> 1969/07/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,012FT

DRILL DEPTH: 230FT 32N 13W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 552,448.99 4,149,643.37

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: COMPETITION 7.5 - LITTLE PRODUCTION AND NO

S.W.L. (AFTER CASING): CONSTRUCTION DATA

LOG ID: 011293

WELL TYPE Private Well

<u>DRILL DATE:</u> 1950/03/22 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,147FT

DRILL DEPTH: 150FT 32N 14W

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 550,725.99 4,149,794.38

12

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: COMPETITION 7.5 - 1.5 MI NE OF COMPETITION

S.W.L. (AFTER CASING): 104



RANGE

14W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004313

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1937/06/01 DRILL DATE:

195FT

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 150 FT

REMARKS: COMPETITION 7.5

TOWNSHIP

32N

WELL TYPE Private Well

027136

LOG ID:

DRILL DATE:

1968/09/26

TOWNSHIP 32N

TOWNSHIP

TT

32N

REMARKS:

RANGE 14W

SECTION 13

SECTION

7

GROVESPRING 7.5 - 1.25 MI N & W OF McBRIDE CHURHC ON HWY

SECTION

13

ELEVATION:

ELEVATION:

UTM X

550,324.00

ZONE 15

1,243FT

1,143FT

UTMY

4,148,998.38

DRILL DEPTH: DEPTH TO BED: 267FT 15FT

UTM X

UTMY 4,148,198.38

1,257FT

UTM Y

4,150,573.42

550,524.00 ZONE 15

ELEVATION:

UTM X

542,787.01

S.W.L. (BEFORE CASING):

FT

211

REMARKS: COMPETITION 7.5 - @ COMPETITION

RANGE

14W

S.W.L. (AFTER CASING):

LOG ID: 022338

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1963/10/18

175FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 124

LOG ID: **WELL TYPE** Private Well

022341 **DRILL DATE:**

1963/10/25

DRILL DEPTH:

DEPTH TO BED:

185FT

30FT

FT

TOWNSHIP RANGE 32N

SECTION 14W

ELEVATION:

1,271FT

UTM X 542.887.02

UTM Y 4,150,058.42

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

143

GROVESPRING 7.5 - 1 MI W OF McBRIDE CHURCH ON HWY TT **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022478

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

141FT

5FT

76

1963/11/14 DRILL DATE:

TOWNSHIP RANGE SECTION

32N 15W 1 **ELEVATION:** 1,121FT

UTM X **UTMY**

541,016.00

4,151,631.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: RUSS 7.5

S.W.L. (AFTER CASING):

LOG ID: 022134

WELL TYPE Private Well

DRILL DATE:

1963/07/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

1,258FT

DRILL DEPTH:

230FT

32N 15W 11

UTM X 540,378.02

UTMY 4,150,353.41

DEPTH TO BED:

35FT

171

REMARKS:

GROVESPRING 7.5 - 0.25 MI S OF GARDNER SCHOOL

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE Private Well

011073 **DRILL DATE:**

LOG ID:

1947/08/14

TOWNSHIP

RANGE 15W

SECTION

ELEVATION:

1,261FT

DRILL DEPTH:

95FT

32N

14

UTM X

DEPTH TO BED:

30FT

540,538.02

UTM Y 4,148,940.41

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

45

REMARKS:

GROVESPRING 7.5 - 5 MI S OF ORLA

LOG ID:

027170

WELL TYPE Private Well

DRILL DATE:

1969/07/07

TOWNSHIP

RANGE

SECTION 4

ELEVATION:

1,288FT

DRILL DEPTH:

301FT 50FT

32N 15W

> UTM X UTM Y

536,583.00 4,152,007.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

RUSS 7.5 - 14 MI S OF LEBANON ON HWY 5

S.W.L. (AFTER CASING):

DEPTH TO BED:

221

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010694

WELL TYPE Private Well

1947/08/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,265FT

> 32N 16W 6 82FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 17FT

523,691.00 4,152,422.39

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 33 **REMARKS: BRUSH CREEK 7.5**

LOG ID: 011022

WELL TYPE Private Well

DRILL DATE: 1947/00/00 **TOWNSHIP SECTION RANGE ELEVATION:**

32N 16W 6 DRILL DEPTH: 171FT

UTM X **UTMY** 523,990.99 DEPTH TO BED: 15FT 4,153,174.39

ZONE 15

S.W.L. (BEFORE CASING): BRUSH CREEK 7.5 - 12 E MI OF CONWAY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022022

WELL TYPE Private Well

DRILL DATE: 1963/11/19 **TOWNSHIP RANGE SECTION ELEVATION:** 1,322FT

32N 16W 6 **DRILL DEPTH:** 170FT

UTM X UTM Y

DEPTH TO BED: 522,991.01 4,151,670.39 25FT

BRUSH CREEK 7.5 - SEE LOG #22476

6

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

251FT

S.W.L. (AFTER CASING):

LOG ID:

022476

DRILL DEPTH:

WELL TYPE Private Well

1963/11/19 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,322FT

32N

UTM X UTM Y DEPTH TO BED: 522.991.01 4,151,670.39 25FT

16W

ZONE 15

S.W.L. (BEFORE CASING): FT BR CK - OLD WELL (#22022) DEEPENED 175-251'; 3 MI W OF **REMARKS:**

MORGAN ON HWY 4 S.W.L. (AFTER CASING): 177



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022135

WELL TYPE Private Well

DRILL DATE: 1963/08/02 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,325FT

DRILL DEPTH: 220FT 32N 16W 8

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 524,832.01 4,151,506.39

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BRUSH CREEK 7.5 - 3.5 MI W OF MORGAN, ON MORGAN RD

S.W.L. (AFTER CASING): 176

LOG ID: 017918

WELL TYPE Private Well

DRILL DATE: 1959/03/13 TOWNSHIP RANGE SECTION ELEVATION: 1,305FT

DRILL DEPTH: 350FT 32N 17W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 518,066.01 4,150,789.36

V.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 125

LOG ID: 025265

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,419FT

<u>DRILL DEPTH:</u> 235FT 32N 17W 16

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 90FT 516,431.02 4,149,203.35

S.W.L. (BEFORE CASING): FT REMARKS: NIANGUA 7.5

S.W.L. (AFTER CASING): 37

LOG ID:

DRILL DEPTH:

WELL TYPE

004769 Noncommunity Public Well

113FT

DRILL DATE: 1938/04/14 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,416FT

DEPTH TO BED: 0.05T

<u>DEPTH TO BED:</u> 20FT 515,022.01 4,150,045.34

17W

17

S.W.L. (BEFORE CASING): FT PERMANANT STATE OF MINISTRAL STATE OF MINIS

32N

S.W.L. (AFTER CASING): REMARKS: NIANGUA 7.5 - 0.5 MI SW OF CONWAY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010699

WELL TYPE Private Well

1947/04/01 DRILL DATE:

TOWNSHIP 32N

REMARKS:

REMARKS:

SECTION

ELEVATION:

1,422FT

DRILL DEPTH:

108FT

17W 17

RANGE

UTM X

UTMY 4,149,540.34

DEPTH TO BED:

15FT

515,322.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

017152

LOG ID:

Private Well

DRILL DATE:

1958/00/00

TOWNSHIP

RANGE 17W

SECTION

ELEVATION: 1,412FT

DRILL DEPTH:

138FT

32N

NIANGUA 7.5

17

UTM X

ZONE 15

515,022.01

UTMY 4,149,641.34

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

NIANGUA 7.5 - 0.5 MI S OF CONWAY ON OLD HWY 66

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027652

Community Public Well

DRILL DATE:

1974/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,400FT

DRILL DEPTH:

1,150FT

32N

17W 17

UTM X 515,054.01

UTM Y

DEPTH TO BED:

15FT

230

4,149,967.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

191 FT **REMARKS:**

LOG ID:

WELL TYPE

022137

Private Well

DRILL DATE:

1963/08/13

TOWNSHIP 32N

RANGE

SECTION

ELEVATION:

1,392FT

DRILL DEPTH:

DEPTH TO BED:

175FT

25FT

17W 5

UTM X UTM Y 4,152,454.35

515.475.98

ZONE 15

S.W.L. (BEFORE CASING):

FT

PHILLIPSBURG 7.5 - 0.5 MI NE OF CONWAY ON OLD HWY 66 **REMARKS:**

S.W.L. (AFTER CASING):

97



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022477

DRILL DEPTH:

WELL TYPE Private Well

1963/12/31 DRILL DATE:

185FT

DEPTH TO BED: 40FT

TOWNSHIP RANGE SECTION 17W 5

ELEVATION:

1,381FT

UTM X 516,075.99

UTMY 4,151,860.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 91 FT

FT

PHILIPSBURG 7.5 - 1 MI N OF CONWAY ON FRISCO RR **REMARKS:**

LOG ID: 024803

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1966/05/04

TOWNSHIP 32N

32N

RANGE 17W

SECTION 5

ELEVATION: 1,376FT

UTMY

UTM X 515,675.97 4,153,244.35

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

10FT

151

216FT

REMARKS:

PHILLIPSPBURG 7.5 - 2 MI N OF CONWAY

S.W.L. (AFTER CASING):

LOG ID: 009906

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

107FT

DEPTH TO BED: 5FT

TOWNSHIP RANGE 32N 17W

PHILLIPSBURG 7.5

SECTION 7

ELEVATION:

1,376FT

UTM X

UTM Y 514,573.00 4,150,664.34

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027184

WELL TYPE Private Well

1968/12/18

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

241FT

40FT

TOWNSHIP 32N

SECTION RANGE 17W

7

ELEVATION:

1,388FT

UTM X

UTM Y

513.772.99

4,151,106.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

PHILPSBURG 7.5 - JCT 66 & M @ CONWAY - VERY POOR

SAMPLES, DO NOT USE

64



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006422

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

347FT

1940/09/23 DRILL DATE:

TOWNSHIP RANGE SECTION

32N 17W 8

DEPTH TO BED: 50FT

UTM X 515,056.01

ELEVATION:

4,150,240.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: NIANGUA 7.5

Driller's Log Attached

LOG ID: 009406

WELL TYPE Private Well

DRILL DATE:

1946/00/00

TOWNSHIP

SECTION RANGE 8

ELEVATION:

1,372FT

1,398FT

UTMY

DRILL DEPTH:

85FT

150

32N 17W

UTM X

UTMY

DEPTH TO BED:

18FT

515,456.00 4,150,644.35

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: PHILLIPSBURG 7.5

S.W.L. (AFTER CASING):

LOG ID: 010715

WELL TYPE

Community Public Well

DRILL DATE:

1949/03/26

TOWNSHIP

RANGE

ELEVATION:

1,403FT

DRILL DEPTH:

954FT

32N

SECTION 17W 8

UTM X

UTM Y

DEPTH TO BED:

40FT

515,768.01 4,150,233.35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

135 FT

FT

173

REMARKS:

NIANGUA 7.5

LOG ID:

018940

WELL TYPE Private Well

DRILL DATE:

1960/02/15

TOWNSHIP 33N

RANGE SECTION **ELEVATION:**

1,293FT

DRILL DEPTH:

DEPTH TO BED:

340FT

55FT

12W

UTM X UTM Y

563.659.86 4,158,209.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

WINNIPEG 7.5 - 2ND HOUSE S OF NEBO PUNPING STATION **REMARKS:**

17

S.W.L. (AFTER CASING):

254

2/27/2007

3,061



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023913

DEPTH TO BED:

WELL TYPE Private Well

1965/07/25 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 33N 12W

ELEVATION:

1,136FT

DRILL DEPTH: 202FT

UTM X

UTMY 4,159,937.39

561,444.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

WINNIPEG 7.5 - 1.5 MI S OF WINNIPEG **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

013642 DRILL DATE:

1955/04/29

TOWNSHIP

33N

RANGE

SECTION ELEVATION: 1,126FT

DRILL DEPTH: DEPTH TO BED: 115FT

75FT

106

13W 13

UTM X

560,817.88

UTMY 4,157,401.38

50FT

REMARKS: WINNIPEG 7.5 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023812

WELL TYPE Private Well

DRILL DATE:

180FT

TOWNSHIP 33N

SECTION RANGE

ELEVATION:

554,560.92

1,082FT

DRILL DEPTH:

13W 29

UTM X

ZONE 15

UTM Y 4,155,257.39

DEPTH TO BED:

25FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

COMPETITION

LOG ID:

WELL TYPE

028495

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1963//

TOWNSHIP

RANGE

SECTION 33

DREW 7.5 - 0.75 MI E AND 0.25 MI S HWY A, D, NEAR

ELEVATION:

996FT

DRILL DEPTH:

1,840FT

33N

13W

UTM X

UTM Y

DEPTH TO BED:

25FT

555.469.94

4,153,940.37

ZONE 15

S.W.L. (BEFORE CASING):

AMOS OPTION **REMARKS**:

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026140

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

200FT

40FT

DRILL DATE: 1968/06/27 TOWNSHIP RANGE SECTION

33N 13W

ELEVATION: 1,230FT

UTM X UTM Y

552,657.87 4,160,248.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DREW 7.5 - 1 MI S OF HWY 32 W OF FALCON

S.W.L. (AFTER CASING):

LOG ID: 015833

WELL TYPE Private Well

DRILL DATE:

1956/09/12

TOWNSHIP 33N RANGE SECTION

ELEVATION: 1,017FT

DRILL DEPTH:

239FT

144

13W

UTM X

UTM Y

DEPTH TO BED: 50FT

556,378.86

4,159,855.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS: WINNIPEG 7.5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

023155

mvate vven

DRILL DATE:

TOWNSHIP RANGE

SECTION 9

9

ELEVATION: 1,093FT

ZONE 15

DRILL DEPTH:

235FT

33N 13W 9

UTM X UTM Y

554,978.88

DEPTH TO BED:

30FT

DREW 7.5 - 2 MI S OF FALCON

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024544

Exploratory Hole (Mineral Prospect)

133

DRILL DATE:

1966/10/01

TOWNSHIP

RANGE SECTION

ELEVATION: 1,183FT

UTM X

DRILL DEPTH:

DEPTH TO BED:

1,995FT

439FT

33N

14W

20

<u>UTM Y</u>

4,159,043.41

544,366.94 4,156,546.43 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DREW 7.5 QUAD

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021322

WELL TYPE Private Well

1962/05/22 DRILL DATE:

TOWNSHIP 33N

RANGE SECTION **ELEVATION:**

1,114FT

DRILL DEPTH:

190FT

14W 21

UTM X

UTMY

DEPTH TO BED:

15FT

545,502.94

4,156,320.43 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

DREW 7.5 REMARKS:

LOG ID: 024375

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

1,275FT

DRILL DEPTH:

290FT

33N 14W

UTM X

UTMY

DEPTH TO BED:

75FT

550,920.92

4,156,872.41

ZONE 15

S.W.L. (BEFORE CASING):

DREW 7.5 - NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

5

5

S.W.L. (AFTER CASING):

LOG ID: 025813

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1968/10/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,107FT

DRILL DEPTH:

235FT

33N 14W

UTM X

UTM Y

DEPTH TO BED:

543,910.88 4,162,169.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 025814

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,125FT

DRILL DEPTH:

33N

14W

UTM X 544,610.88

ZONE 15

UTM Y 4,161,475.45

DEPTH TO BED:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025967

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

175FT

DRILL DATE: 1968/11/25 **TOWNSHIP RANGE SECTION** 33N

14W 5

DEPTH TO BED: 10FT

UTM X 543,910.88

ELEVATION:

UTMY 4,162,169.45

1,127FT

ZONE 15

S.W.L. (BEFORE CASING):

RUSS 7.5 - MINERAL TEST REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013063

WELL TYPE

Private Well

DRILL DATE:

1954/09/24

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,146FT

DRILL DEPTH:

152FT

33N 14W

UTM X

UTMY

DEPTH TO BED:

15FT

6

543,322.89

4,160,977.44

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **DREW 7.5**

S.W.L. (AFTER CASING):

LOG ID: 024379

WELL TYPE

Private Well

DRILL DATE:

1966/04/08

TOWNSHIP

RANGE SECTION 7

ELEVATION:

1,121FT

DRILL DEPTH:

178FT

33N 14W

UTM X

UTM Y

DEPTH TO BED:

40FT

130

543,754.89 4,160,588.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: RUSS 7.5

S.W.L. (AFTER CASING):

LOG ID: 021726

WELL TYPE

Private Well

DRILL DATE:

1962/06/05

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,201FT

DRILL DEPTH:

185FT

33N

15W

UTM X

541.142.90

UTM Y

DEPTH TO BED:

15FT

4,160,244.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RUSS 7.5 - 4 MI SE OF OAKLAND ON COUNTY RD B

12

S.W.L. (AFTER CASING): 130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024670

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1966/10/01 **TOWNSHIP RANGE SECTION** 33N

ELEVATION:

1,183FT

DRILL DEPTH:

1,960FT

15W 14

UTM X **UTMY** 4,158,937.43

539,152.92

DEPTH TO BED:

35FT

ZONE 15

S.W.L. (BEFORE CASING):

RUSS 7.5 QUAD REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027115

WELL TYPE Private Well

DRILL DATE:

1969/03/04

TOWNSHIP 33N

SECTION RANGE

ELEVATION:

1,276FT

DRILL DEPTH:

402FT

19 15W

UTM X

UTMY

DEPTH TO BED:

75FT

533,631.95

ZONE 15

4,156,349.41

S.W.L. (BEFORE CASING):

FT

223

REMARKS:

RUSS 7.5 - 8.5 MI S OF LEBANON ON HWY 5

S.W.L. (AFTER CASING):

LOG ID: 017510

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/09/16

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

1,160FT

DRILL DATE: DRILL DEPTH:

2.150FT

33N 15W

UTM X

UTM Y

DEPTH TO BED:

5FT

540,197.94 4,156,706.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SAMPLES (#17510) TP 665', CORE (#28548) TO TD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025717

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1968/08/01

TOWNSHIP 33N

RANGE

SECTION

ELEVATION:

1,178FT

DRILL DEPTH:

DEPTH TO BED:

2,838FT

10FT

15W 23

UTM X

UTM Y 4,156,502.43

540.197.94 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

RUSS 7.5 QUAD; POOR CHURN DRILL SAMPLES

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028548

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/09/16 **TOWNSHIP RANGE SECTION** 33N 15W 23

ELEVATION: 1,160FT

DRILL DEPTH: 2,150FT

UTM X **UTMY** 4,156,706.43

540,197.94

ZONE 15

S.W.L. (BEFORE CASING):

CORE DESCRIPTION FOR LOG #17510, SEE LOG 17510 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023136

WELL TYPE Private Well

DRILL DATE:

1964/05/25

TOWNSHIP 33N

SECTION RANGE

ELEVATION: 1,118FT

DRILL DEPTH: DEPTH TO BED: 151FT 30FT

5FT

15W 26

UTM X UTMY

540,436.96 4,155,305.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **RUSS 7.5**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024808

Noncommunity Public Well

101

DRILL DATE:

1966/06/10

TOWNSHIP

SECTION RANGE

15W

ELEVATION: 1,020FT

DRILL DEPTH:

151FT

33N

26

UTM X UTM Y

DEPTH TO BED: 15FT 540,636.97 4,154,693.42

ZONE 15

S.W.L. (BEFORE CASING):

19

FT

REMARKS: RUSS 7.5 - AT ORLA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

026151

1968/02/24

TOWNSHIP

SECTION RANGE

ELEVATION:

1,238FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

346FT

40FT

33N 15W 28

UTM X UTM Y

536.999.97

4,154,588.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

226

RUSS 7.5 - 12 MI S OF LEBANON ON HWY 5



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027160

WELL TYPE Private Well

1969/08/15 DRILL DATE:

TOWNSHIP 33N

SECTION

ELEVATION:

1,200FT

UTMY

DRILL DEPTH:

220FT

15W 28

RANGE

UTM X

536,399.97

4,154,588.41 ZONE 15

DEPTH TO BED:

20FT

104

FT

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: RUSS 7.5 -NO SAMPLES

LOG ID: 024781

WELL TYPE Private Well

DRILL DATE:

1966/03/26

TOWNSHIP

RANGE

SECTION 29

ELEVATION:

ZONE 15

DRILL DEPTH:

271FT

33N 15W

> UTM X 535,590.96

UTMY 4,155,247.41

DEPTH TO BED:

110FT

229

REMARKS:

RUSS 7.5 - 9 MI S OF LEBANON ON HWY 5

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 026709

WELL TYPE Private Well

DRILL DATE:

1969/04/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,210FT

DRILL DEPTH:

190FT

33N 15W 3

UTM X UTM Y

DEPTH TO BED:

45FT

538,091.89

4,161,187.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: RUSS 7.5 - 8 MI SE OF LEBANON ON HWY 5

S.W.L. (AFTER CASING):

120

LOG ID:

WELL TYPE

012751

Outcrop Description

DRILL DATE:

1954/07/01

145FT

TOWNSHIP

33N

RANGE SECTION 15W

32

ELEVATION: 1,100FT

ZONE 15

UTM X

534.883.99

UTM Y 4,153,138.41

DRILL DEPTH: DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

RUSS 7.5 - OSAGE FORK SECTION REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026307

DEPTH TO BED:

WELL TYPE Private Well

1967/11/11 DRILL DATE:

TOWNSHIP RANGE 33N

SECTION 33

33

ELEVATION: 1,232FT

DRILL DEPTH: 319FT

UTMY

537,393.97 4,154,200.42

ZONE 15

UTM X

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

RUSS 7.5 - S OF LEBANON ON HWY 5 TO HWY O, ABT 1 MI ON

LEFT

LOG ID:

027158

WELL TYPE

Noncommunity Public Well

15FT

DRILL DATE:

1969/07/28

TOWNSHIP

SECTION RANGE

15W

ELEVATION:

DRILL DEPTH:

220FT

33N 15W

UTM X

UTMY 4,153,284.41

DEPTH TO BED: 10FT 537,293.98

33

RUSS 7.5 - NO SAMPLES REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027082

WELL TYPE Private Well

DRILL DATE:

1968/06/23

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,264FT

ZONE 15

DRILL DEPTH:

302FT

33N 15W 5

> UTM X UTM Y

> > 4,161,084.42

UTM Y

DEPTH TO BED:

95FT

158

534,460.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: RUSS 7.5 - 8 MI SE OF LEBANON TOWARD RUSS

S.W.L. (AFTER CASING):

LOG ID: 027114

WELL TYPE

Private Well

DRILL DATE:

1969/04/25

TOWNSHIP RANGE **SECTION**

5

ELEVATION: 1,256FT

DRILL DEPTH:

260FT

35FT

33N 15W

UTM X

535.660.88

4,161,686.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

RUSS 7.5 - 1 MI NW OF RUSS **REMARKS:**

S.W.L. (AFTER CASING):

DEPTH TO BED:

103



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010958

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1947/08/02 DRILL DATE:

101FT

40FT

74

FT

TOWNSHIP RANGE SECTION 33N 16W

10

ELEVATION:

1,274FT

UTM X 527,807.91

UTMY 4,159,654.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

BRUSH CREEK 7.5 - 7.5 MI S OF LEBANON **REMARKS:**

LOG ID: 013544

WELL TYPE Private Well

DRILL DATE:

1954/09/01

FT

TOWNSHIP

RANGE

SECTION 11

ELEVATION: 1,354FT

ZONE 15

DRILL DEPTH:

395FT

33N 16W

UTM X 529,443.91

UTMY 4,159,618.40

DEPTH TO BED: 50FT

300

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS: BRUSH CREEK 7.5 - YIELD - 15 GPM @ 360'

LOG ID: 027127

WELL TYPE Private Well

DRILL DATE:

1968/07/30

137FT

TOWNSHIP 33N

RANGE

SECTION 12

ELEVATION:

1,302FT

DRILL DEPTH: DEPTH TO BED:

25FT

16W

UTM X

UTM Y 4,161,008.41

531,250.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

84

REMARKS:

BRUSH CREEK 7.5 - NO SAMPLES; 6 MI S OF LEBANON ON HWY 5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027207

Private Well

DRILL DATE:

1969/10/17

TOWNSHIP 33N

RANGE

SECTION

ELEVATION:

1,305FT

DRILL DEPTH:

S.W.L. (BEFORE CASING):

452FT

60FT

16W 14

UTM X

UTM Y 4,159,442.41

530.056.91

ZONE 15

S.W.L. (AFTER CASING):

DEPTH TO BED:

249

FT

REMARKS:

BRUSH CREEK 7.5 - 7 MI S OF LEBANON - POOR SAMPLES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023401

WELL TYPE Private Well

1964/12/14 DRILL DATE:

TOWNSHIP RANGE SECTION 33N 16W

ELEVATION:

1,318FT

DRILL DEPTH: DEPTH TO BED: 351FT 30FT

279

2

UTM X UTMY

530,316.89 ZONE 15

4,161,229.41

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

BRUSH CREEK 7.5 - 6 MI S OF LEBANON ON HWY 5, THEN 1/3 MI **REMARKS:**

W

LOG ID: 023896

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION ELEVATION:

1,253FT

DRILL DEPTH:

140FT

33N 16W 24

UTM X

DEPTH TO BED: 30FT **UTMY**

531,285.94 4,156,967.41

ZONE 15

S.W.L. (BEFORE CASING):

BRUSH CREEK 7.5 - NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025301

WELL TYPE Private Well

DRILL DATE:

1965/12/21

TOWNSHIP

RANGE

SECTION

ELEVATION: 1.228FT

DRILL DEPTH:

105FT

33N 16W 26

> UTM X UTM Y

DEPTH TO BED:

35FT

45

4,156,194.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: BRUSH CREEK 7.5

LOG ID:

WELL TYPE Private Well 022042

DRILL DATE:

DEPTH TO BED:

1963/05/31

TOWNSHIP

33N

SECTION RANGE

ELEVATION:

530,887.95

1,204FT

DRILL DEPTH:

175FT 30FT 16W 27

> UTM X UTM Y

529.076.95 4,156,246.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

BRUSH CREEK 7.5 - 8.1 MI S OF LEBANON ON HWY PP **REMARKS:**

S.W.L. (AFTER CASING): 59



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010957

WELL TYPE Private Well

1947/08/10 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,330FT

33N 16W 3 **DRILL DEPTH:** 115FT

UTM X **UTMY** DEPTH TO BED: 35FT

528,589.89 4,161,268.40

ZONE 15

S.W.L. (BEFORE CASING): FT

BRUSH CREEK 7.5 - 6.5 MI S OF LEBANON **REMARKS:**

S.W.L. (AFTER CASING): 100

LOG ID: 021613

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1963/02/01 **RANGE ELEVATION:** 1,293FT

33N 16W 30 DRILL DEPTH: 130FT

UTM X UTMY DEPTH TO BED: 10FT

523,768.95 4,156,367.39

ZONE 15 S.W.L. (BEFORE CASING): BRUSH CREEK 7.5 - 3 MI E OF PHILLIPSBURG ON HWY C REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 022199

WELL TYPE Private Well

DRILL DATE: 1963/08/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1,241FT

33N 16W 30 **DRILL DEPTH:** 300FT

UTM X UTM Y

DEPTH TO BED: 523,968.96 4,155,483.39 15FT

ZONE 15

BRUSH CRK - 4 MI W ON HWY C & 1 MI S ON GRAVEL RD, FROM

PHILLIPSBURG

FT

225 S.W.L. (AFTER CASING):

LOG ID: 010091

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,284FT

33N 16W 34 **DRILL DEPTH:** 115FT

REMARKS:

UTM X DEPTH TO BED: 32FT 529.300.98 4,153,815.40

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT BRUSH CREEK 7.5 - 5 MI SE OF LEBANON ON MORGAN RD **REMARKS:**

S.W.L. (AFTER CASING): 80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010669

WELL TYPE Private Well

1947/06/10 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,385FT

> 33N 16W 5 195FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 80FT

525,355.89 4,161,538.39

ZONE 15

S.W.L. (BEFORE CASING): FT

BRUSH CREEK 7.5 - AT CAFFEYVILLE REMARKS:

S.W.L. (AFTER CASING): 105

LOG ID: 010705

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1946/09/01 **RANGE ELEVATION:** 1,355FT

33N 16W 5 DRILL DEPTH: 198FT

UTM X UTMY DEPTH TO BED: 4,162,146.40 525,755.88

ZONE 15

S.W.L. (BEFORE CASING): BRUSH CREEK 7.5 - OLD WELL DEEPENED 170-198' REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 028704

DRILL DATE: 1990/04/11 **TOWNSHIP RANGE SECTION ELEVATION:** 1,401FT

33N 16W 7 **DRILL DEPTH:** 1.280FT

UTM X UTM Y

DEPTH TO BED: 524,463.90 4,160,440.39 45FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

1,755FT

028715 Community Public Well

1992/09/03 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,410FT

UTM X UTM Y DEPTH TO BED: 4,160,446.39

16W

522.837.90 285FT

ZONE 15 S.W.L. (BEFORE CASING): FT

33N

REMARKS: skip in samples from 0 to 285 feet S.W.L. (AFTER CASING): 445



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026937

WELL TYPE

Community Public Well

1971/01/22 DRILL DATE:

DRILL DEPTH: 1,215FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING): 180

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 33N 16W 9

SECTION

ELEVATION:

1,362FT

UTMY

UTM X

527,524.89 4,161,171.40

ZONE 15

BRUSH CREEK 7.5 - FAULTING IN BOTTOM OF WELL IN **REMARKS:**

EMINENCLE & POTOSI

LOG ID: 027752

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 1,200FT

DEPTH TO BED: 100FT **TOWNSHIP** 33N

RANGE 17W

SECTION 1

ELEVATION: 1,414FT

UTM X UTMY

4,161,500.39 522,668.89 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: BRUSH CREEK/LEBANON 7.5'S - ORIGINALLY SEC 31, 34N-16W

S.W.L. (AFTER CASING): 407

LOG ID: 026153

WELL TYPE

Private Well

DRILL DATE:

125FT

TOWNSHIP 33N

RANGE 17W

SECTION 10

ELEVATION: 1,330FT

DRILL DEPTH:

DEPTH TO BED:

60FT

UTM X UTM Y

517,995.89 4,160,244.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

95

REMARKS:

PHILLIPSBURG 7.5 - NO SAMPLES

LOG ID: 019193

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1960/07/01

229FT

45FT

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,367FT

33N

17W

522.197.91

UTM Y

4,159,983.39

ZONE 15

UTM X

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

179

BRUSH CREEK 7.5 - 3 MI N OF PHILLIPSBURG ON OLD HWY 66 **REMARKS:**

12



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028795

WELL TYPE

Community Public Well

1998/04/03 DRILL DATE:

1,845FT

TOWNSHIP RANGE 33N 17W

SECTION

ELEVATION:

1,335FT

DRILL DEPTH: DEPTH TO BED:

13

UTM X 521,921.92

UTMY 4,158,875.39

ZONE 15

S.W.L. (BEFORE CASING):

175

FT

REMARKS:

S.W.L. (AFTER CASING):

FT 150

LOG ID: 022778

WELL TYPE

Private Well

DRILL DATE:

1964/07/21

TOWNSHIP

SECTION RANGE 2

ELEVATION: 1,329FT

DRILL DEPTH:

450FT

260

33N 17W

UTM X

UTMY

DEPTH TO BED: 85FT

519,568.87

4,162,627.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: PHILLIPSBURG 7.5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

025747

1967/07/07

TOWNSHIP

33N

SECTION RANGE

ELEVATION:

1,400FT

DRILL DEPTH:

400FT

17W 22

UTM X

ZONE 15

518,641.94

UTM Y 4,156,613.37

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

275

REMARKS:

PHILLIPSBURG 7.5 - IN PHILLIPSBURG ACROSS STREET FROM

SCHOOL

LOG ID:

WELL TYPE

026839

Community Public Well

DRILL DATE:

700FT

TOWNSHIP 33N

SECTION RANGE

22

ELEVATION:

1,434FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

17W

UTM X

519,237.94 4,156,722.37

ZONE 15

S.W.L. (BEFORE CASING):

35FT 280

327

FT **REMARKS:**

FΤ

PHILLIPSBURG 7.5 - AT PHILLIPSBURG

2/27/2007

3,075



RANGE

SECTION

PHILLIPSBURG 7.5 - 1 MI SE OF PHILLIPSBURG

28

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027141

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1969/06/07

DRILL DEPTH: 406FT 33N 17W 22

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 518,597.93 4,157,020.37

ZONE 15

ELEVATION:

1,354FT

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Sun Oil Company - PHILLIPSBURG 7.5 -

TOWNSHIP

S.W.L. (AFTER CASING): 247 @PHILLIPSBURG ON I-44; SCANNED, NO CARBONATE LOGGED

LOG ID: 003812

WELL TYPE

Private Well

DRILL DATE: 1936/10/03 TOWNSHIP RANGE SECTION ELEVATION: 1,379FT

DRILL DEPTH: 395FT 33N 17W 23

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 305FT 519,649.94 4,156,595.37

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: PHILLIPSBURG 7.5 - WELL DEEPENED FROM 305'; IN

S.W.L. (AFTER CASING): 265 PHILLIPSBURG

LOG ID: 025096

WELL TYPE Private Well

<u>DRILL DATE:</u> 1967/02/01 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,314FT

_____ 33N 17W 26

REMARKS:

DRILL DEPTH: 101FT UTM Y

<u>DEPTH TO BED:</u> 5FT 520,478.96 4,155,787.38

S.W.L. (BEFORE CASING): FT PEMARKS PHILLIPOPHING 7.5 AMILOS OF PHILLIPOPHING

S.W.L. (AFTER CASING): 48

LOG ID: 024784

WELL TYPE Private Well

DRILL DATE: 1966/03/10 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,380FT

<u>DRILL DEPTH:</u> 285FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 517,055.95 4,155,426.36

17W

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: PHILLIPSBURG 7.5 - 1.5 MI SW OF PHILLIPSBURG

33N

S.W.L. (AFTER CASING): 210



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023168

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,314FT

> 33N 17W 325FT

> > **REMARKS:**

UTM X **UTMY** DEPTH TO BED: 125FT 516,368.86 4,162,280.36

PHILLIPSBURG 7.5

ZONE 15

S.W.L. (AFTER CASING): 225

LOG ID: **WELL TYPE** 023851 Private Well

S.W.L. (BEFORE CASING):

DRILL DATE: 1965/00/00 **TOWNSHIP SECTION RANGE ELEVATION:** 1,284FT

33N 17W 7 DRILL DEPTH: 305FT

UTM X UTMY DEPTH TO BED: 25FT 514,642.88 4,159,951.35

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: PHILLIPSBURG 7.5 -NORTH OF PHILLIPPSBURG ON HWY 1, 1 MI

S.W.L. (AFTER CASING): W ON GRAVEL RD

FT

LOG ID: 021773

WELL TYPE Private Well

DRILL DATE: 1963/03/15 **TOWNSHIP RANGE SECTION ELEVATION:** 1,173FT

34N 12W 32 **DRILL DEPTH:** 271FT

UTM X UTM Y

DEPTH TO BED: 563,657.81 4,162,255.40 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** WINNIPEG 7.5 - 2.3 MI N OF PUMP STATION

S.W.L. (AFTER CASING): 146

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 003371

700FT

1935/06/18 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,260FT

34N

UTM X UTM Y DEPTH TO BED: 35FT

13W

20

554.771.79 4,166,154.45

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS: DRYNOB 7.5**

272 S.W.L. (AFTER CASING): Driller's Log Attached



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026161

DRILL DEPTH:

WELL TYPE Private Well

1967/03/24 DRILL DATE:

170FT

DEPTH TO BED: 55FT **TOWNSHIP RANGE SECTION** 34N 13W 20

ELEVATION:

1,220FT

UTMY

UTM X

554,171.79 4,166,952.45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

DRYNOB 7.5 - 1 MI W OF HWY K ON BROWNFIELD RD

S.W.L. (AFTER CASING): 70

LOG ID: 023146

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1964/09/03

170FT

30FT

75

TOWNSHIP 34N

RANGE

SECTION

ELEVATION: 1,215FT

13W 29

UTM X

UTM Y

554,371.81

4,164,745.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

DRYNOB 7.5 - 2 MI N OF FALCON ON BROWNFIELD RD

S.W.L. (AFTER CASING):

LOG ID: 026156

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

200FT 40FT

TOWNSHIP

RANGE 13W

SECTION

ELEVATION: 1,240FT

34N

31

UTM X UTM Y

553,256.84 4,162,846.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 026725

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1969/04/01

197FT

35FT

TOWNSHIP 34N

RANGE 13W

DREW 7.5 - @ FALCON

SECTION 31

ELEVATION:

1,245FT

UTM X

UTM Y 4,162,846.43

553.256.84

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

DREW 7.5 - 1.5 MI W OF FALCON ON HWY 32

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026165

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,144FT

<u>DRILL DEPTH:</u> 212FT 34N 13W 32

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 554,373.84 4,162,704.43

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DREW 7.5 - 0.5 MI W OF FALCON ON HWY 32

S.W.L. (AFTER CASING):

LOG ID: 026132 WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,106FT

DRILL DEPTH: 185FT 34N 13W 34

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 45FT 557,002.82 4,163,468.43

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: WINNIPEG 7.5 - 2 MI NE OF FALCON

S.W.L. (AFTER CASING): 150

LOG ID: 023912

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/10/21 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,052FT

DRILL DEPTH: 190FT 34N 13W 5

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 553,803.73 4,171,499.48

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: DRYNOB 7.5 - 6 MI N OF HWY 32-FALCON JCT ON HWY K

S.W.L. (AFTER CASING): 85

LOG ID: 023911

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/09/06 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,142FT

DRILL DEPTH: 322FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 550,765.74 4,172,006.48

14W

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: DRYNOB 7.5 - 3 MI NW OF BROWNFIELD - LONG SECTION

34N

S.W.L. (AFTER CASING): 205



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022348

WELL TYPE Private Well

1963/09/27 DRILL DATE:

181FT

TOWNSHIP 34N

RANGE SECTION 10

ELEVATION:

1,061FT

DRILL DEPTH: DEPTH TO BED:

UTM X UTMY

548,198.78

4,169,351.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

DRYNOB 7.5 - 1 MI N & W OF CROSS ROADS SCHOOL - POOR

SAMPLES

LOG ID: 026111

WELL TYPE Private Well

DRILL DATE:

FT

TOWNSHIP 34N

RANGE

SECTION

12

ELEVATION: 1,172FT

ZONE 15

DRILL DEPTH:

145FT

14W

14W

UTM X 550,364.78

UTMY 4,168,754.46

DEPTH TO BED:

30FT

75

149

REMARKS:

DRYNOB 7.5 - NO SAMPLES LOGGED

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 022485

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE SECTION 16

ELEVATION: 1,014FT

DRILL DEPTH:

34N 14W

> UTM X UTM Y 545,772.80 4,167,751.46

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

ZONE 15

REMARKS: DRYNOB 7.5 - OLD WELL (#22485) DEEPENED 100-335' (SEE

#23150)

LOG ID:

WELL TYPE Private Well 023150

DRILL DATE:

1964/02/28

TOWNSHIP RANGE

34N

SECTION

ELEVATION: 1,039FT

DRILL DEPTH:

DEPTH TO BED:

335FT 5FT 14W 16

> UTM X UTM Y

545.772.80 4,167,751.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

DRYNOB 7.5 - OLD WELL DEEPENED #22485 200-335' **REMARKS:**

S.W.L. (AFTER CASING):

107



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027185

WELL TYPE Private Well

1968/09/01 DRILL DATE:

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,148FT

UTMY

4,168,474.46

DRILL DEPTH:

236FT

14W 18

UTM X

542,879.80

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

121

OAKLAND 7.5 - POOR SAMPLES **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 026152

WELL TYPE Private Well

DRILL DATE:

FT

SECTION RANGE

ELEVATION:

1,080FT

DRILL DEPTH:

195FT

14W 23

UTM X

UTMY

DEPTH TO BED:

25FT

115

TOWNSHIP

34N

549,963.81

4,165,729.45 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: DRYNOB 7.5 - 15 MI E OF LEBANON ON HWY 32, THEN 1 MI NE OF

HWY 32

LOG ID:

WELL TYPE

025291

Private Well

DRILL DATE:

1967/08/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,015FT

DRILL DEPTH:

250FT

34N 14W 24

> UTM X UTM Y 550,562.81 4,165,738.45

ZONE 15

DEPTH TO BED:

5FT

REMARKS:

DRYNOB 7.5 - 2.5 MI SW OF RICHLAND, 1.5 MI W, 133

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

021133

Noncommunity Public Well

130

DRILL DATE:

1962/07/01

TOWNSHIP 34N

RANGE SECTION 14W

ELEVATION: 1,160FT

DRILL DEPTH:

DEPTH TO BED:

230FT

15FT

170

26

UTM X UTM Y

550.166.83 4,164,207.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: DRYNOB 7.5

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026143

WELL TYPE Private Well

1966/10/07 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,145FT

34N 14W 26 **DRILL DEPTH:** 203FT

UTM X **UTMY** DEPTH TO BED: 25FT 549,739.83 4,164,143.44

ZONE 15

S.W.L. (BEFORE CASING): FT DREW 7.5 - 3 MI W OF FALCON ON HWY 32 **REMARKS:**

S.W.L. (AFTER CASING): 160

LOG ID: 023134

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1964/04/17 **RANGE ELEVATION:** 1,135FT

34N 14W 29 DRILL DEPTH: 320FT

UTM X UTMY DEPTH TO BED: 10FT 4,164,996.45 545,340.84

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: DRYNOB 7.5 - 13 MI E OF LEBANON ON HWY 32

S.W.L. (AFTER CASING): 152

LOG ID: 027183

WELL TYPE Private Well

DRILL DATE: 1968/09/17 **TOWNSHIP RANGE SECTION ELEVATION:** 1,031FT

34N 14W 5 **DRILL DEPTH:** 201FT

UTM X UTM Y

DEPTH TO BED: 10FT 544,802.74 4,173,080.48

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** DRYNOB 7.5 - 10 MI E OF LEBANON ON HWY M

S.W.L. (AFTER CASING): 156

LOG ID: 023389

WELL TYPE Private Well

1964/10/04 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 971FT

34N **DRILL DEPTH:** 169FT

UTM X UTM Y

6

DEPTH TO BED: 543.342.76 4,171,816.47 15FT

14W

ZONE 15

FT

S.W.L. (BEFORE CASING): **REMARKS: OAKLAND 7.5**

75 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021347

WELL TYPE Private Well

<u>DRILL DATE:</u> 1962/08/10 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,181FT

<u>DRILL DEPTH:</u> 120FT 34N 15W 10

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 25FT 538,835.80 4,168,957.45

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OAKLAND 7.5 - 2.3 MI E OF KNOB SCHOOL ON HWY 32

S.W.L. (AFTER CASING): 57

LOG ID: 026133

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,181FT

DRILL DEPTH: 132FT 34N 15W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 538,635.80 4,168,957.45

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of F.H. Lewis - OAKLAND 7.5 - NO SAMPLES OR

S.W.L. (AFTER CASING): 41 FORMATIONS

LOG ID:

WELL TYPE

023734 Noncommunity Public Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,122FT

<u>DRILL DEPTH:</u> 165FT 34N 15W 13

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 541,442.80 4,168,652.46

S.W.L. (BEFORE CASING): FT PEMARKS CARLAND 7.5 ZAME OF LEDANON ON LIVAY CO.

REMARKS: OAKLAND 7.5 - 7 MI E OF LEBANON ON HWY 32

S.W.L. (AFTER CASING): 55

LOG ID: 026142

WELL TYPE
Private Well

DRILL DATE: 1967/12/11 TOWNSHIP RANGE SECTION ELEVATION: 1,190FT

DRILL DEPTH: 126FT UTM X UTM Y

15W

14

<u>DEPTH TO BED:</u> 5FT 540,030.80 4,168,711.45

ZONE 15

34N

S.W.L. (BEFORE CASING): FT REMARKS: OAKLAND 7.5

S.W.L. (AFTER CASING): 87



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026756

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,180FT

34N 15W 15 **DRILL DEPTH:** 170FT

UTM X **UTMY** DEPTH TO BED: 35FT 538,823.80 4,168,741.45

ZONE 15

S.W.L. (BEFORE CASING):

OAKLAND 7.5 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 022349

WELL TYPE Private Well

DRILL DATE: 1963/10/05 **TOWNSHIP SECTION** 1,251FT **RANGE ELEVATION:**

34N 15W 17 DRILL DEPTH: 201FT

REMARKS:

UTM X UTMY DEPTH TO BED: 25FT 535,023.81 4,167,503.43

OAKLAND 7.5 - 3.5 MI SE OF LEBANON

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 104

LOG ID:

WELL TYPE

Community Public Well 027166

DRILL DATE: 1972/02/18 **TOWNSHIP RANGE SECTION ELEVATION:** 1,345FT

34N 15W 17 **DRILL DEPTH:** 1.280FT

UTM X UTM Y **DEPTH TO BED:** 10FT 535,128.80 4,168,743.43

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** OAKLAND 7.5

S.W.L. (AFTER CASING):

LOG ID: 011017

WELL TYPE Private Well

1947/07/20 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,312FT

34N 15W 18 **DRILL DEPTH:** 138FT

DEPTH TO BED: 60FT 533,816.80 4,168,973.43

UTM X

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT **REMARKS:** OAKLAND 7.5

S.W.L. (AFTER CASING): 108



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024378

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,309FT

34N 15W 18 **DRILL DEPTH:** 335FT

UTM X **UTMY** DEPTH TO BED: 40FT 533,216.80 4,168,973.43

ZONE 15

S.W.L. (BEFORE CASING): FT OAKLAND 7.5 - 1 MI E OF HWY 66 ON HWY 32 **REMARKS:**

S.W.L. (AFTER CASING): 285

LOG ID: 026146

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 1,300FT

34N 15W 18 DRILL DEPTH: 300FT

REMARKS:

UTM X UTMY DEPTH TO BED: 80FT 4,168,871.42 533,016.80

LEBANON 7.5 - 1 MI E OF I-44 ON HWY 32 - LEBANON

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 210

LOG ID: **WELL TYPE**

Private Well 021606

DRILL DATE: 1963/02/06 **TOWNSHIP RANGE SECTION ELEVATION:** 1,158FT

34N 15W 2 **DRILL DEPTH:** 204FT

UTM X UTM Y **DEPTH TO BED:** 20FT 539,448.75 4,172,679.46

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS: OAKLAND 7.5**

S.W.L. (AFTER CASING): 150

LOG ID: 021381

WELL TYPE Private Well

1962/08/31 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,257FT

DRILL DEPTH: 343FT UTM X UTM Y

15W

22

DEPTH TO BED: 10FT 538.821.83 4,166,126.44 ZONE 15

S.W.L. (BEFORE CASING): FT OAKLAND 7.5 - 1 MI N OF OAKLAND ON LACLEDE HWY B **REMARKS:**

34N

288 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013549

WELL TYPE Private Well

DRILL DATE: 1955/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,200FT

<u>DRILL DEPTH:</u> 100FT 34N 15W 24

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 10FT 541,640.82 4,167,031.45

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OAKLAND 7.5 - 6.75 MI SE ON HWY 32 OF JCT OF HWYS 32 & 5

S.W.L. (AFTER CASING): 85

LOG ID: 013766

WELL TYPE Private Well

DRILL DATE: 1955/07/23 TOWNSHIP RANGE SECTION ELEVATION: 1,175FT

DRILL DEPTH: 155FT 34N 15W 27

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 537,430.84 4,165,519.44

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: OAKLAND 7.5

S.W.L. (AFTER CASING):

LOG ID: 023399

WELL TYPE Private Well

DRILL DATE: 1964/10/16 TOWNSHIP RANGE SECTION ELEVATION: 1,225FT

<u>DRILL DEPTH:</u> 278FT 34N 15W 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 55FT 535,831.85 4,164,589.43

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OAKLAND 7.5 - 4 MI SE OF LEBANON, NEAR OLD BACON SCHOOL

S.W.L. (AFTER CASING): 233

LOG ID: 021547

WELL TYPE Private Well

<u>DRILL DATE:</u> 1963/02/14 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,165FT

DRILL DEPTH: 203FT 34N

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 537,819.75 4,172,709.45

15W

3

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: OAKLAND 7.5 - LONG SECTION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024381

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,178FT

> 34N 15W 3 225FT

> > **REMARKS:**

UTM X **UTMY** DEPTH TO BED: 20FT 538,219.75 4,172,709.45

OAKLAND 7.5

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 160

LOG ID: **WELL TYPE** Private Well 027120

TOWNSHIP SECTION DRILL DATE: 1968/07/23 **RANGE ELEVATION:** 1,271FT

34N 15W 30 DRILL DEPTH: 270FT

FT

UTM X UTMY DEPTH TO BED: 533,226.85 140FT 4,164,737.42

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OAKLAND 7.5 - 4 MI SE OF LEBANON TWD BEACON SCHOOL -

S.W.L. (AFTER CASING): 208 **VERY POOR SAMPLES**

LOG ID: 027175

WELL TYPE Private Well

DRILL DATE: 1969/04/15 **TOWNSHIP RANGE SECTION ELEVATION:** 1,276FT

34N 15W 30 **DRILL DEPTH:** 286FT

UTM X UTM Y **DEPTH TO BED:** 80FT 533,026.85 4,164,737.42

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 4 MI SE OF LEBANON BY BACON SCHOOL - POOR SAMPLES

221 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

006534 Noncommunity Public Well

SECTION DRILL DATE: 1940/10/01 **TOWNSHIP RANGE ELEVATION:** 1,250FT

DRILL DEPTH: 242FT UTM X UTM Y

DEPTH TO BED: 534.633.87 4,163,071.42 65FT

15W

ZONE 15

32

RUSS 7.5 -SKELLY STATION 4 MI E OF LEBANON ON HWY 66 **REMARKS:** S.W.L. (AFTER CASING):

34N



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026162

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,235FT

34N 15W 33 **DRILL DEPTH:** 195FT

UTM X **UTMY** DEPTH TO BED: 35FT 536,439.86 4,163,382.43

ZONE 15

S.W.L. (BEFORE CASING): FT RUSS 7.5 - 1.5 MI N OF NEW HOPE CHURCH AND HWY HH **REMARKS**:

S.W.L. (AFTER CASING): 100

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 024490

DRILL DATE: **TOWNSHIP SECTION** 1966/10/01 **RANGE ELEVATION:** 1,070FT

34N 15W 34 DRILL DEPTH: 1,716FT

UTM X UTMY DEPTH TO BED: 50FT 538,255.87 4,163,087.43

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: RUSS 7.5 - #1 WILSON

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well

DRILL DATE: 1961/10/26 **TOWNSHIP RANGE SECTION ELEVATION:** 1,096FT

34N 15W 36 **DRILL DEPTH:** 200FT

UTM X UTM Y **DEPTH TO BED:** 20FT 541,587.87 4,162,919.44

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS: RUSS 7.5**

75 S.W.L. (AFTER CASING):

LOG ID: 002762

020753

WELL TYPE Private Well

1933/05/00 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,175FT

34N

DRILL DEPTH: 193FT UTM X UTM Y

15W

5

DEPTH TO BED: 63FT 534.940.75 4,172,548.44 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OAKLAND 7.5 - OLD WELL DEEPENED 63-193';

DRILLER'S LOG ONLY S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004154

DRILL DEPTH:

WELL TYPE Private Well

1937/03/01 DRILL DATE:

185FT

DEPTH TO BED: 20FT **TOWNSHIP** 34N

RANGE SECTION 15W 5

ELEVATION:

UTM X UTMY

535,240.73

4,174,279.44

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

160

REMARKS:

OAKLAND 7.5 - 4.5 MI E OF LEBANON NEAR COOK

SCHOOLHOUSE

LOG ID: 002760

WELL TYPE Private Well

DRILL DATE:

1933/05/06

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,227FT

DRILL DEPTH:

157FT 35FT

34N

15W 6

UTM X

UTMY 533,398.78 4,170,830.43

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

55

REMARKS:

formerly in name of E.L. Vernon - OAKLAND 7.5 - IN E/2 LOT 6 OF

LONG SECTION

LOG ID: 002761

WELL TYPE Private Well

DRILL DATE:

1934/05/00

TOWNSHIP

FT

RANGE

ELEVATION: 1.221FT

DRILL DEPTH:

185FT

34N

15W 6

> UTM X **UTMY**

DEPTH TO BED: 70FT

ZONE 15

533,298.75 4,172,604.43

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

OAKLAND/LEBANON 7.5'S-OLD WELL DEEPENED 70-185'; NO

SECTION

FORMATIONS OR SAMP

LOG ID:

WELL TYPE

004710

Private Well

DRILL DATE:

1938/04/01

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

1,225FT

DRILL DEPTH:

DEPTH TO BED:

165FT 15FT 34N 15W

UTM X

532.998.76

UTM Y 4,172,350.43

ZONE 15

S.W.L. (BEFORE CASING):

95

REMARKS:

S.W.L. (AFTER CASING): 127 **LEBANON 7.5 - LONG SECTION**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021346

WELL TYPE Private Well

1962/07/27 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,201FT

34N 15W 6 **DRILL DEPTH:** 220FT

UTM X UTMY DEPTH TO BED: 10FT 532,898.75 4,172,604.43

ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of O.K. Getty - OAKLAND 7.5 - LONG SECTION; 1 MI **REMARKS:**

NE OF LEBANON ON HWY 66 S.W.L. (AFTER CASING): 125

LOG ID:

WELL TYPE

Noncommunity Public Well 022463

DRILL DATE: **TOWNSHIP SECTION** 1964/01/07 **RANGE ELEVATION:** 1,217FT

34N 15W 6 DRILL DEPTH: 86FT

UTM X UTMY DEPTH TO BED: 533,198.75 10FT 4,172,858.43

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OAKLAND 7.5 - 2 MI NE OF LEBANON ON OLD HWY 66

S.W.L. (AFTER CASING): 43

LOG ID: 023141

WELL TYPE Private Well

DRILL DATE: 1964/02/10 **TOWNSHIP RANGE SECTION ELEVATION:** 1,201FT

34N 15W 6

DRILL DEPTH: 206FT UTM X **UTMY**

DEPTH TO BED: 532,998.75 4,172,858.43 15FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LEBANON 7.5 - 1ST RR UNDERPASS NE OF LEBANON

S.W.L. (AFTER CASING): 132

LOG ID: 023398

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,221FT

DRILL DEPTH: 249FT UTM X UTM Y

DEPTH TO BED: 10FT 533.298.75 4.172.604.43

15W

6

ZONE 15

S.W.L. (BEFORE CASING): "CAN'T LOCATE; 1 MI NE OF LEBANON ON OUTER RD TO I-44 **REMARKS:**

34N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025106

WELL TYPE Private Well

1966/11/25 DRILL DATE:

301FT

34N 15W

RANGE

ELEVATION:

1,260FT

DRILL DEPTH:

UTM X

UTMY

533,498.75

4,173,111.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

OAKLAND 7.5 - POOR SAMPLES - 2 MI NE OF LEBANON **REMARKS:**

SECTION

6

S.W.L. (AFTER CASING):

LOG ID: 026154

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1967/12/05

40FT

223

TOWNSHIP

TOWNSHIP

SECTION RANGE 6

ELEVATION: 1,240FT

DRILL DEPTH: 300FT 34N 15W

UTM X UTMY

532,998.75

4,172,858.43

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS: OAKLAND 7.5 - LONG SECTION

S.W.L. (AFTER CASING):

35FT

231

LOG ID: 011071

WELL TYPE Private Well

DRILL DATE:

1947/00/00

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

533,122.78

1,287FT

DRILL DEPTH:

70FT

35

15W 7

UTM X

DEPTH TO BED:

35FT

UTMY 4,170,401.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OAKLAND 7.5 - 2 MI E OF LEBANON ON MILL CREEK ROAD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024749

1966/09/29

TOWNSHIP 34N

SECTION RANGE

ELEVATION:

1,305FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

362FT 10FT 15W 7

> UTM X UTM Y

534.022.80 4,169,129.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

OAKLAND 7.5 - 2 MI E OF LEBANON ON HWY 32 **REMARKS:**

S.W.L. (AFTER CASING): 241



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025745

WELL TYPE Private Well

1967/05/29 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,312FT

> 34N 15W 330FT

> > **REMARKS:**

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 15FT 533,822.80 4,169,129.43

7

7

ZONE 15

S.W.L. (BEFORE CASING): FT OAKLAND 7.5 - 1.75 MI E OF LEBANON ON HWY 32

S.W.L. (AFTER CASING): 239

LOG ID: 026139

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,306FT

34N 15W DRILL DEPTH: 129FT

UTM X UTMY DEPTH TO BED: 15FT 532,622.79 4,169,977.42

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LEBANON 7.5 - NO SAMPLES RUN

S.W.L. (AFTER CASING): 65

LOG ID: 026157

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,247FT

34N 15W 8 **DRILL DEPTH:** 235FT

UTM X **UTMY**

DEPTH TO BED: 534,959.79 4,169,823.43 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OAKLAND 7.5 - 2 MI E OF LEBANON ON HWY 32 - "CAN'T LOCATE"

200 S.W.L. (AFTER CASING):

LOG ID: 026763

WELL TYPE Private Well

1969/04/07 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,320FT

DRILL DEPTH: 200FT UTM X UTM Y

DEPTH TO BED: 10FT 535.059.80 4,169,118.43

15W

8

ZONE 15

S.W.L. (BEFORE CASING): OAKLAND 7.5 - NO SAMPLES RUN - SCANNED

34N

REMARKS: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013765

DEPTH TO BED:

WELL TYPE Private Well

1955/07/16 DRILL DATE:

34N

SECTION 1

ELEVATION:

1,218FT

DRILL DEPTH: 140FT

UTM X 531,741.77

UTMY 4,171,490.42

ZONE 15

S.W.L. (BEFORE CASING):

LEBANON 7.5 - LOMG SECTION 1 X 2.25 MI **REMARKS**:

RANGE

16W

S.W.L. (AFTER CASING):

LOG ID: 001530

WELL TYPE

Noncommunity Public Well

10FT

DRILL DATE:

1887//

TOWNSHIP 34N

TOWNSHIP

SECTION RANGE

ELEVATION: 1,274FT

DRILL DEPTH:

1,000FT

16W 10

UTM X

DEPTH TO BED: 20FT 529,004.78

UTMY 4,170,327.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN LEBANON

S.W.L. (AFTER CASING): 300

LOG ID: 002224

WELL TYPE

Community Public Well

DRILL DATE:

1929/08/16

TOWNSHIP

RANGE SECTION **ELEVATION:**

528,704.79

1,260FT

DRILL DEPTH:

1,104FT

34N 16W 10

UTM X

ZONE 15

UTMY 4,169,820.41

DEPTH TO BED:

75FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: LEBANON 7.5 - LOTS OF MISSING SAMPLES

Driller's Log Attached

LOG ID:

WELL TYPE

010159

Industrial High Capacity Well

355

DRILL DATE:

1948/05/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

1,238FT

DRILL DEPTH:

DEPTH TO BED:

1,151FT

70FT

34N

16W 10

528.704.79

UTM Y 4,169,416.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LEBANON 7.5

S.W.L. (AFTER CASING):

349



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023149

DRILL DEPTH:

WELL TYPE Private Well

1964/05/15 DRILL DATE: **TOWNSHIP RANGE**

SECTION 34N 16W 10

1,246FT

DEPTH TO BED: 30FT

UTM X UTMY 527,804.79 4,169,921.41

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

LEBANON 7.5 - 1 MI W OF LEBANON ON NEW BUFFALO RD **REMARKS:**

S.W.L. (AFTER CASING): 69

LOG ID: 001894

WELL TYPE

Noncommunity Public Well

65FT

151FT

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE

34N 16W 11 **ELEVATION:** 1,265FT

DRILL DEPTH: 1,007FT

UTM X UTMY

4,170,096.41 529,611.78

ZONE 15

S.W.L. (BEFORE CASING):

NO FORMATIONS GIVEN; LOGGED 65-444 FT ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002868

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1934/05/01 **TOWNSHIP RANGE SECTION** 16W

34N

ELEVATION: 1,276FT

DRILL DEPTH: 395FT

UTM X **UTMY**

DEPTH TO BED: 155FT 530,211.79 4,169,898.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LEBANON 7.5 - MUD TO 155', DRY HOLE TO 365'

11

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

135FT

FT

Private Well 004023

1936/12/01 **DRILL DATE:**

TOWNSHIP RANGE SECTION 34N 16W 11

ELEVATION: 1,260FT

DRILL DEPTH: 455FT

S.W.L. (BEFORE CASING):

UTM X UTM Y

529.811.78 4,170,096.41

ZONE 15

OBSERVATION WELL (10/15/81), HAY & MONROE ST., LEBANON **REMARKS:**

237 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004028

DRILL DEPTH:

WELL TYPE Private Well

1936/07/28 DRILL DATE: **TOWNSHIP RANGE**

SECTION 34N 16W 11

1,280FT

UTMY

DEPTH TO BED: 160FT **UTM X** 4,169,298.42

530,811.79

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING): FT

LEBANON 7.5 - DRILLERS LOG SHOWS "MUD & ROCK" TO 165' **REMARKS:**

S.W.L. (AFTER CASING): 230

LOG ID: 005923

WELL TYPE

Noncommunity Public Well

389FT

DRILL DATE: 1940/00/00

DRILL DEPTH: 534FT **TOWNSHIP SECTION RANGE** 11

34N 16W **ELEVATION:** 1,253FT

DEPTH TO BED: 405FT **UTM X UTMY**

529,611.78 4,170,496.41

ZONE 15

S.W.L. (BEFORE CASING):

LEBANON 7.5 - OLD WELL DEEPENED 407-534' REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 007732

WELL TYPE

Community Public Well

345

DRILL DATE: 1942/04/27

TOWNSHIP RANGE SECTION 34N 16W 11

ELEVATION: 1,256FT

DRILL DEPTH: 1,151FT

UTM X **UTMY**

DEPTH TO BED: 75FT 529,633.79 4,169,895.41

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

Formerly in name of Frisco Railroad Well #3 - bought by City of

Lebanon and named Well #9 - Frisco Railroad - LEBANON 7.5

LOG ID:

DEPTH TO BED:

WELL TYPE

Community Public Well 008047

1942/12/01 **DRILL DATE:**

TOWNSHIP RANGE SECTION 34N 16W 11

ELEVATION: 1,278FT

DRILL DEPTH: 1,625FT

UTM X UTM Y

530.105.79 4,169,657.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

LEBANON 7.5 - OLD WELL (#8047) DEEPENED (#8250) 1200-1625'

(05/1043)

REMARKS: S.W.L. (AFTER CASING): 355

130FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008250

WELL TYPE

Community Public Well

DRILL DATE: 1942/12/01

TOWNSHIP RANGE SECTION

ELEVATION:

1,283FT

DRILL DEPTH:

34N 16W 11

UTM X

<u>UTM Y</u>

DEPTH TO BED:

530,011.79

011.79 4,169,698.41

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ARKS: LEBANON 7.5 - OLD WELL DEEPENED 1200-1625' - SEE LOG #8047

FOR DETAILS

LOG ID: 004617

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1938/01/00

TOWNSHIP

RANGE 16W **SECTION**

ELEVATION: 1,272FT

DRILL DEPTH:

DEPTH TO BED:

269FT

34N

12

UTM X UTM

ZONE 15

531,192.79

<u>UTM Y</u> 4,169,284.42

25FT

135

FT

REMARKS: LEBA

LEBANON 7.5 - SLAUGHTER HOUSE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

002759

1933/10/01

TOWNSHIP

<u>RANGE</u>

SECTION 13 ELEVATION:

1,303FT

DRILL DEPTH:

265FT

34N

LEBANON 7.5

16W

UTM X

UTM Y

DEPTH TO BED:

50FT

4,168,269.42

531,017.81

4,100,209.4

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026138

Private Well

DRILL DATE:

1968/01/26

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,280FT

DRILL DEPTH:

DEPTH TO BED:

211FT

135FT

109

34N 16W 13

<u>UTM X</u>

UTM Y

531,917.81

4,168,269.42

3,096

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

REMARKS:

formerly in name of Dwight Southerland - LEBANON 7.5 - 0.5 MI SE OF

LEBANON

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027099

WELL TYPE Private Well

1968/03/22 DRILL DATE:

TOWNSHIP 34N

SECTION

ELEVATION:

1,282FT

DRILL DEPTH:

210FT

16W 13

UTM X

UTMY

DEPTH TO BED:

45FT

14

531,417.80 4,169,069.42

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

LEBANON 7.5 - 7 MI S OF LEBANON ON HWY 5, THEN 0.25 MI E **REMARKS**:

RANGE

121

LOG ID: 027178

WELL TYPE

Community Public Well

DRILL DATE:

1972/07/11

TOWNSHIP

SECTION RANGE

ELEVATION:

1,303FT

DRILL DEPTH:

1,760FT

34N 16W

UTM X

UTMY

4,168,084.41

530,418.81 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

75FT

383

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003241

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP 34N

RANGE SECTION

16W

ELEVATION:

1,290FT

DRILL DEPTH:

195FT

15

UTM X **UTMY**

DEPTH TO BED:

70FT

528,909.81 ZONE 15

4,167,998.41

REMARKS: LEBANON 7.5 - NEAR SINKHOLE; HIWAY CAFE, 1 MI SW OF **LEBANON**

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

005389

WELL TYPE Private Well

DRILL DATE:

1939/04/01

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,280FT

DRILL DEPTH:

203FT

16W 15

> UTM X UTM Y

529.209.80 4,168,513.41

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

80FT

FT

REMARKS: LEBANON 7.5

S.W.L. (AFTER CASING): 138



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028493

WELL TYPE

Community Public Well

1981/09/22 DRILL DATE:

DRILL DEPTH: 1,780FT

DEPTH TO BED: 70FT

TOWNSHIP RANGE SECTION 34N 16W 15

REMARKS:

UTM X **UTMY** 528,943.80 4,168,876.41

ELEVATION:

ZONE 15

1,270FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 028367

WELL TYPE Private Well

DRILL DATE:

1974/12/12

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,235FT

DRILL DEPTH:

DEPTH TO BED:

243FT 40FT

34N 16 16W

LEBANON 7.5 QUAD

UTM X UTMY

526,592.80

4,169,158.40 ZONE 15

S.W.L. (BEFORE CASING):

LEBANON 7.5 -NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

2

S.W.L. (AFTER CASING):

LOG ID: 013406

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/03/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,244FT

DRILL DEPTH:

510FT

34N 16W

UTM X

UTMY

DEPTH TO BED:

30FT

200

529,966.77 4,171,050.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LEBANON 7.5 - @ MUSTARD CROSSING (MUSLARD?)

S.W.L. (AFTER CASING):

LOG ID: 013514

WELL TYPE

Private Well

DRILL DATE:

1955/04/15

TOWNSHIP

SECTION RANGE

ELEVATION:

1,258FT

DRILL DEPTH:

DEPTH TO BED:

273FT

170FT

213

34N

16W 2

UTM X

529.866.75

UTM Y 4.173.140.42

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LEBANON 7.5 - 5,000' FROM N LINE, 1333' FROM W LINE - LONG

SECTION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013548

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955/05/25 DRILL DATE:

105FT

30FT

TOWNSHIP RANGE SECTION 34N 2

16W

ELEVATION:

1,273FT

UTM X 530,166.74

UTMY 4,173,836.42

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT 33

LEBANON 7.5 **REMARKS**:

LOG ID: 021502

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1962/11/10

300FT

30FT

TOWNSHIP 34N

RANGE 16W

SECTION 2

ELEVATION: 1,279FT

UTM X

UTMY

529,766.75

4,173,372.42

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: LEBANON 7.5

TOWNSHIP

S.W.L. (AFTER CASING):

204

21

LOG ID: 024084

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1965/09/23

151FT

DEPTH TO BED: 20FT 34N

RANGE 16W

SECTION 2

ELEVATION:

1,238FT

UTM X

UTMY

529,966.73 4,174,300.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LEBANON 7.5 - YIELD - 0.5 GPM; 2 MI N OF LEBANON

S.W.L. (AFTER CASING):

LOG ID: 025073

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/10/12

102FT

35FT

TOWNSHIP 34N

RANGE 16W

SECTION 2

ELEVATION:

529.966.74

1,260FT

UTM X

UTM Y 4,173,836.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

LEBANON 7.5 - 1 MI N OF LEBANON **REMARKS:**

S.W.L. (AFTER CASING): 24



LEBANON 7.5

TOWNSHIP

34N

REMARKS:

REMARKS:

REMARKS:

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

529,746.74

ELEVATION:

ELEVATION:

UTM X

529,415.82

1,276FT

UTMY

4,173,839.42

1,270FT

UTMY

1,293FT

UTMY

4,166,872.41

LOG ID: 025748

WELL TYPE

Community Public Well

FT

FT

FT

DRILL DATE:

DRILL DEPTH: 1,150FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING): 273

327 FT

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

028322 Community Public Well

DRILL DATE: 1979/12/31

DRILL DEPTH: 1,825FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING): 235

S.W.L. (AFTER CASING): 372 FT

TOWNSHIP SECTION RANGE 34N

LEBANON 7.5 QUAD

16W

RANGE

BRUSH CREEK 7.5

16W

RANGE

16W

SECTION

2

2

UTM X

529,701.77 4,171,628.41

ZONE 15

ZONE 15

ZONE 15

LOG ID: 009481

WELL TYPE

Private Well

DRILL DATE: 1946/10/04

51FT

DRILL DEPTH:

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

12 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 024383

1966/06/03 **DRILL DATE:**

DRILL DEPTH: 305FT

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING):

TOWNSHIP

34N

TOWNSHIP

34N

RANGE 16W

SECTION 24

SECTION

23

ELEVATION: 1,285FT

UTM X UTM Y 532.021.83 4,166,043.42

ZONE 15

FT **REMARKS:** LEBANON 7.5 S.W.L. (AFTER CASING): 255



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

531,018.84

LOG ID: 023148

DRILL DEPTH:

WELL TYPE Private Well

1964/07/31 DRILL DATE:

258FT

FT

DEPTH TO BED: 130FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 218

LOG ID: 023740

DRILL DEPTH: 235FT

DEPTH TO BED: 105FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

> **TOWNSHIP** 34N

TOWNSHIP

34N

TOWNSHIP

34N

REMARKS:

RANGE 16W

RANGE

16W

SECTION 25

SECTION

25

LEBANON 7.5 -2 MI S OF LEBANON ON HWY 5

UTM X

ELEVATION:

UTM X

531,918.85

ELEVATION:

UTMY

1,280FT

UTM Y

4,164,532.42

1,257FT

1,286FT

UTMY

4,165,858.41

531,818.84 4,165,858.42

ZONE 15

ZONE 15

ZONE 15

LEBANON-3 MI S OF LEBANON ON HWY 5; NO PRODUCTION OR REMARKS:

SECTION

25

CONSTRUCTION DATA

RANGE

16W

LOG ID: 024796

DRILL DATE:

WELL TYPE Private Well

DRILL DATE: 1966/07/16

302FT

DRILL DEPTH: DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024377

WELL TYPE Private Well

DRILL DEPTH:

DEPTH TO BED: 45FT

1966/03/30 **DRILL DATE:**

215FT

212

FT

TOWNSHIP RANGE 34N

16W 26

LEBANON 7.5 - 3 MI S OF LEBANON

SECTION

ELEVATION: 1,295FT

> UTM X UTM Y

530.809.85 4,165,063.41 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LEBANON 7.5

REMARKS:

S.W.L. (AFTER CASING): 165



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010092

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,268FT

> 34N 16W 27 196FT

UTM X **UTMY** DEPTH TO BED: 75FT 528,203.84 4,165,702.41

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 151

LEBANON 7.5 - 3.5 MI S OF US HWY 66 **REMARKS:**

LOG ID:

WELL TYPE

009546 Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1947/07/01 **RANGE ELEVATION:** 1,233FT

34N 16W 3 DRILL DEPTH: 1,639FT

UTM X UTMY DEPTH TO BED: 528,644.77 40FT 4,171,227.41

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: LEBANON 7.5

S.W.L. (AFTER CASING): 345

LOG ID: 021083

WELL TYPE Private Well

DRILL DATE: 1962/06/19 **TOWNSHIP RANGE SECTION ELEVATION:** 1,243FT

34N 16W 3 **DRILL DEPTH:** 260FT

UTM X UTM Y **DEPTH TO BED:** 25FT 528,760.75 4,172,934.41

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: BN SPG 7.5 -1 MI N OF LEBANON ON HWY 5, THEN 0.1 MI W ON

123 **KELLER DRIVE** S.W.L. (AFTER CASING):

LOG ID: 021724

WELL TYPE Private Well

1963/04/20 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,202FT

DRILL DEPTH: 250FT UTM X UTM Y

16W

3

DEPTH TO BED: 50FT 528.160.75 4,173,408.41

ZONE 15 S.W.L. (BEFORE CASING): FT

34N

LEBANON 7.5 - HWY 64 W TO CITY LEBANON CITY LIMITS, N 1.1 **REMARKS:**

MI. S.W.L. (AFTER CASING): 180



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021727

WELL TYPE Private Well

DRILL DATE: 1962/05/05

TOWNSHIP 34N SECTION 3 ELEVATION: 1,226FT

UTM X

DRILL DEPTH:

165FT

80

<u>UTM Y</u>

DEPTH TO BED: 40FT

16W :

RANGE

528,160.76 4,172,460.41

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

FT

REMARKS: formerly in name of Robert Miller - LEBANON 7.5 - LONG SECTION 2.3

X 1 MI

LOG ID: 022500

WELL TYPE Private Well

DRILL DATE:

1963/12/04

TOWNSHIP

RANGE

SECTION 3 ELEVATION: 1

1,263FT

DRILL DEPTH:

276FT

34N

16W

<u>UTM X</u> 528,760.75 <u>UTM Y</u> 4,172,934.41

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

25FT

184

REMARKS:

ZONE 15 LEBANON 7.5 - 1 MI N OF LEBANON ON HWY 5, 1.5 BLOCKS S ON

KELLER DRIVE

LOG ID:

WELL TYPE

028330

Community Public Well

DRILL DATE:

1980/01/17

TOWNSHIP

<u>RANGE</u>

SECTION 3

ELEVATION:

1,261FT

DRILL DEPTH:

1.200FT

34N

16W

<u>UTM X</u> 529,174.74 <u>UTM Y</u>

DEPTH TO BED:

30FT

4,173,636.41

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

 $\underline{\mathsf{S}}$: LEBANON 7.5 - NO PRODUCTION OR CONSTRUCTION DATA

LOG ID: 002758

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1933/09/00

<u>TOWNSHIP</u>

34N

RANGE S

SECTION

ELEVATION:

1,299FT

DRILL DEPTH:

160FT 30FT 16W 32

UTM X UTM Y

ZONE 15

524,970.86

4,163,753.39

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

BRUSH CREEK 7.5 - NO PRODUCTION OR CONSTRUCTION DATA

DRILLER'S LOG ONLY

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023145

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1964/04/08 TOWNSHIP RANGE SECTION ELEVATION: 1,325FT

271FT 34N 16W 33

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 526,981.87 4,163,516.40

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BRUSH CREEK 7.5 - 3.5 MI SW OF LEBANON ON HWY 66

S.W.L. (AFTER CASING): 175

LOG ID: 026762

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,344FT

DRILL DEPTH: 318FT 34N 16W 33

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 60FT 526,781.86 4,164,324.40

526,781.86 4,164,324. ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LEBANON 7.5 - 4 MI W OF LEBANON ON OLD HWY 66, 0.25 MI S

S.W.L. (AFTER CASING):

LOG ID: 015558

WELL TYPE Private Well

<u>DRILL DATE:</u> 1955/10/01 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,250FT

DRILL DEPTH: 500FT 34N 16W 5

FT

UTM X UTM Y

<u>DEPTH TO BED:</u> 65FT 525,532.76 4,172,300.40 ZONE 15

REMARKS: LEBANON 7.5 - 1.5 MI FROM LEBANON ON HWY 64 ("AIR MILES")

5

S.W.L. (AFTER CASING): 340

S.W.L. (BEFORE CASING):

LOG ID: 015869

WELL TYPE Private Well

DRILL DATE: 1955/09/14 TOWNSHIP RANGE SECTION ELEVATION: 1,157FT

DRILL DEPTH: 209FT UTM Y

16W

<u>DEPTH TO BED:</u> 75FT 525,932.73 4,174,397.40
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: LEBANON 7.5 - 4 AIR MI FROM HWY 64-LEBANON CITY LIMITS

34N

S.W.L. (AFTER CASING): 129



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012629

WELL TYPE

Noncommunity Public Well

1953/08/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

34N 16W 6 **DRILL DEPTH:** 400FT

UTM X UTMY DEPTH TO BED: 80FT 523,550.77 4,171,386.39

ZONE 15

1,248FT

S.W.L. (BEFORE CASING): FT LEBANON 7.5 - 3 MI W OF LEBANON ON HWY 64; YIELD - 12 GPM **REMARKS**:

@ 340' S.W.L. (AFTER CASING): 240

LOG ID: 015557

WELL TYPE Private Well

1955/09/10 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,252FT

34N 16W 6 DRILL DEPTH: 331FT **UTM X UTMY**

DEPTH TO BED: 80FT 523,750.77 4,171,386.39

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** LEBANON 7.5

S.W.L. (AFTER CASING): 250

LOG ID: **WELL TYPE**

Noncommunity Public Well 015710

DRILL DATE: 1957/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,256FT

34N 16W 6 **DRILL DEPTH:** 509FT

UTM X UTM Y

DEPTH TO BED: 523,550.77 4,171,386.39 255FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** LEBANON 7.5 - NO SAMPLES RUN 0-255'

350 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

1,100FT

026570 Community Public Well

1968/08/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,262FT

DRILL DEPTH: UTM X UTM Y

16W

6

DEPTH TO BED: 524.408.76 4,172,554.39 125FT

ZONE 15

34N

S.W.L. (BEFORE CASING): 344 LEBANON 7.5 - SECTION 3 MI LONG **REMARKS:**

FΤ S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005536

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1939/08/05 DRILL DATE:

261FT

DEPTH TO BED: 105FT **TOWNSHIP RANGE SECTION** 34N 16W

7

ELEVATION:

1,265FT

UTM X 523,750.78

UTMY 4,170,818.39

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LEBANON 7.5 - 3 MI W OF LEBANON ON HWY 64, 0.5 MI W OF

BOWLES SCHOOL

LOG ID: 027868

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 19

ELEVATION:

1,225FT

DRILL DEPTH:

240FT

34N 17W

UTM X

UTMY 4,166,633.36

514,060.80 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

35FT

100

REMARKS:

REMARKS:

BENNETT SPRINGS 7.5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

008109

DRILL DATE:

1942/00/00

FT

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,240FT

DRILL DEPTH:

122FT

34N 17W 2

UTM X

ZONE 15

UTM Y 4,172,870.38

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70FT

520,099.74

BENNETT SPRINGS 7.5 - NO PRODUCTION OR CONSTRUCTION DATA -

LOG ID:

WELL TYPE

004212

Noncommunity Public Well

DRILL DATE:

1937/05/01

TOWNSHIP 34N

RANGE 17W

SECTION

ELEVATION:

UTM X

1,330FT

DRILL DEPTH:

DEPTH TO BED:

202FT

90FT

25

UTM Y

521.711.85

ZONE 15

4,164,610.38

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

160

FT

BENNETT SPRINGS 7.5 - LOST WATER 194-200' - PLUGGED BACK **REMARKS:**

TO 194'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025094

DRILL DEPTH:

WELL TYPE Private Well

1967/03/04 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,255FT

> 34N 17W 28 170FT

UTM X UTMY DEPTH TO BED: 55FT 517,509.83 4,165,273.37

ZONE 15

S.W.L. (BEFORE CASING): FT BENNETT SPRINGS 7.5 - 8 MI SW OF LEBANON ON HEY 32, THEN **REMARKS:**

RT 1 MI

LOG ID: 027150

S.W.L. (AFTER CASING):

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1968/12/01 **RANGE ELEVATION:** 1,266FT

34N 29 17W DRILL DEPTH: 202FT

UTM X UTMY DEPTH TO BED: 55FT 515,503.82 4,165,303.36

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

112

S.W.L. (AFTER CASING): 119

LOG ID: 008112

WELL TYPE Private Well

DRILL DATE: 1942/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,232FT

34N 17W 3 **DRILL DEPTH:** 180FT

UTM X UTM Y

DEPTH TO BED: 50FT 518,800.72 4,174,555.38 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** BENNETT SPRINGS 7.5 - ON HWY 64; E LOT OF 4NE - LONG

SECTION S.W.L. (AFTER CASING):

LOG ID: 008114

WELL TYPE Private Well

1942/00/00 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,205FT

DRILL DEPTH: 113FT UTM X UTM Y

DEPTH TO BED: 518.000.72 4,174,081.37 55FT ZONE 15

17W

3

S.W.L. (BEFORE CASING):

34N

LOT 4; NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020751

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,234FT

DRILL DEPTH: 320FT 34N 17W 3

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 518,800.74 4,173,133.38

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BENNETT SPRINGS 7.5 - LONG SECTION - 7 MI W OF LEBANON

ON HWY 64

LOG ID: 026716

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1969/04/07 TOWNSHIP RANGE SECTION ELEVATION: 1,260FT

DRILL DEPTH: 218FT 34N 17W 30

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 80FT 514,343.81 4,165,576.36

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BENNETT SPRINGS -NO SAMPLES LOGGED, NO PRODUCTION OR

S.W.L. (AFTER CASING): CONSTRUCTION DATA

LOG ID: 026149

WELL TYPE Private Well

DRILL DATE: 1967/11/09 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,289FT

DRILL DEPTH: 177FT 34N 17W 33

UTM X UTM Y

BENNETT SPRINGS 7.5 - 8 MI SW OF LEBANON

<u>DEPTH TO BED:</u> 100FT 517,731.84 4,164,272.37

S.W.L. (BEFORE CASING): FT PEMARKS PENALETT OPPINGS 7.5 AM OW OF LEDANON

S.W.L. (AFTER CASING): 109

LOG ID: 026137

S.W.L. (AFTER CASING):

WELL TYPE Private Well

122

DRILL DATE: 1968/01/28 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION</u>: 1,291FT

DRILL DEPTH: 182FT 34N 17W 34

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 518,337.84 4,164,459.37

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BENNETT SPRINGS 7.5 - 7 MI SW OF LEBANON



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021501

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1962/10/25 DRILL DATE:

TOWNSHIP

SECTION ELEVATION:

321FT

45FT

263

RANGE 34N 17W

> UTM X **UTMY**

516,610.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **BENNETT SPRINGS 7.5**

S.W.L. (AFTER CASING):

LOG ID: 021323

WELL TYPE Private Well

DRILL DATE:

1962/10/06

TOWNSHIP

SECTION RANGE

ELEVATION:

1,139FT

DRILL DEPTH:

186FT

130

34N 17W 5

UTM X

UTMY

4,173,153.37

DEPTH TO BED: 55FT 515,105.71

4,173,670.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **BENNETT SPRINGS 7.5**

S.W.L. (AFTER CASING):

LOG ID: 023736

WELL TYPE Private Well

DRILL DATE:

1964/07/28

TOWNSHIP 34N

RANGE SECTION 17W

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

310FT

40FT

6

UTM X UTM Y

514,059.71 4,173,128.36

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BENNETT SPRINGS 7.5 - 10 MI W OF LEBANON ON HWY 64

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028926

Noncommunity Public Well

DRILL DATE:

2002/02/

TOWNSHIP RANGE **SECTION** 6

ELEVATION:

1,010FT

DRILL DEPTH:

408FT

34N 17W

> UTM X 513.959.71

> > ZONE 15

UTM Y 4,172,970.36

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011036

WELL TYPE

Noncommunity Public Well

1949/06/10 DRILL DATE:

DRILL DEPTH: 165FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 80 **TOWNSHIP** 35N

REMARKS:

RANGE 14W

SECTION 1

ELEVATION:

UTM X **UTMY**

551,545.57

4,183,456.55

ZONE 15

RICHLAND 7.5 -6.5 MI SW OF RICHLAND - W.M. CIEPIOT

LOG ID:

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

011286

1949/11/12

120FT

25FT

75

TOWNSHIP

35N

SECTION RANGE 14W 11

ELEVATION: 1,004FT

UTM X

549,190.61

UTMY 4,181,256.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

RICHLAND 7.5 - 0.5 MI NW OF HAZELGREENE SCHOOL

S.W.L. (AFTER CASING):

LOG ID: 023016

WELL TYPE Private Well

DRILL DATE:

1964/05/12

TOWNSHIP 35N

RANGE SECTION 11

ELEVATION:

966FT

DRILL DEPTH:

260FT

14W

UTM X 549,090.61

ZONE 15

UTM Y 4,181,358.52

DEPTH TO BED:

35FT

REMARKS:

RICHLAND 7.5 - 1.5 MI SW OF HAZELGREEN

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

002423

Noncommunity Public Well

110

DRILL DATE:

1936/03/01

TOWNSHIP

35N

RANGE

14W

SECTION 12

ELEVATION:

UTM X

1,005FT

DRILL DEPTH: DEPTH TO BED: 650FT 20FT

UTM Y

551.624.60

4,181,749.53

3,110

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RICHLAND 7.5 - 1 MI N OF HAZELGREEN; ELEVATION MAY BE TOO

HIGH Drillers Log Attached

S.W.L. (AFTER CASING): 90

2/27/2007



RANGE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006456

WELL TYPE

Noncommunity Public Well

1940/10/25 DRILL DATE:

35N 14W 13 **DRILL DEPTH:** 153FT

UTM X UTMY DEPTH TO BED: 35FT 550,383.63 4,180,155.52

TOWNSHIP

ZONE 15

ELEVATION:

989FT

S.W.L. (BEFORE CASING): FT

RICHLAND 7.5 - PARSONS LODGE IN HAZELGREEN **REMARKS:**

SECTION

S.W.L. (AFTER CASING): 115

LOG ID: 026136

WELL TYPE Private Well

DRILL DATE: 1967/02/05 **TOWNSHIP SECTION RANGE ELEVATION:** 1,104FT

35N 14W 17 DRILL DEPTH: 205FT

UTM X UTMY DEPTH TO BED: 30FT 4,179,705.50 543,879.66

ZONE 15

S.W.L. (BEFORE CASING): FT STOUTLAND 7.5 - 0.5 MI N OF HWY 66, E ON HWY T **REMARKS**:

S.W.L. (AFTER CASING): 150

LOG ID: 006427

WELL TYPE Private Well

DRILL DATE: 1940/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,105FT

35N 14W 19 **DRILL DEPTH:** 250FT

FT

UTM X UTM Y

DEPTH TO BED: 25FT 543,101.68 4,178,721.49

ZONE 15

REMARKS: STOUTLAND 7.5 - 0.25 MI W OF STOUTLAND JCT OF HWY 66

S.W.L. (AFTER CASING): 135

S.W.L. (BEFORE CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 013547

229FT

DRILL DATE: 1955/05/06 **TOWNSHIP RANGE SECTION ELEVATION:** 1,116FT

35N

UTM X UTM Y DEPTH TO BED: 543.301.68 4.178.721.49 15FT

14W

19

ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of L.M. Brown - STOUTLAND 7.5 - JCT OF HWYS 66 **REMARKS:**

& T S.W.L. (AFTER CASING): 181



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017180

DRILL DEPTH:

WELL TYPE Private Well

230FT

1958/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 35N 21

14W

DEPTH TO BED: 30FT

UTM X 545,965.67

ELEVATION:

4,178,894.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

140

87

REMARKS: RICHLAND 7.5

S.W.L. (AFTER CASING):

LOG ID: 028198

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP SECTION RANGE 35N

ELEVATION:

981FT

1,093FT

UTMY

DRILL DEPTH: 200FT 14W 22

UTM X **UTMY**

547,676.67

DEPTH TO BED: 5FT

4,178,353.50 ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

DRYNOB 7.5 - NO LITHOLOGIES LOGGED **REMARKS**:

LOG ID: 023735

WELL TYPE

Private Well

DRILL DATE:

1965/04/19

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,124FT

DRILL DEPTH:

387FT

35N 14W 8

> UTM X UTM Y

DEPTH TO BED:

65FT

544,414.63 4,181,100.51

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: RICHLAND 7.5 - 1 MI N OF HWY 66 STOUTLAND JCT.

LOG ID:

WELL TYPE

021332

Noncommunity Public Well

DRILL DATE:

1962/10/25

TOWNSHIP

SECTION RANGE 9

ELEVATION:

1,009FT

DRILL DEPTH:

450FT

35N

14W

UTM X

545.846.60

UTM Y

DEPTH TO BED:

25FT

4,182,329.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

RICHLAND 7.5

S.W.L. (AFTER CASING):

140

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028477

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1963// **TOWNSHIP RANGE** 35N

ELEVATION:

885FT

DRILL DEPTH:

1,726FT

14W 9

SECTION

1

UTM X **UTMY**

DEPTH TO BED: 25FT 545,946.61

4,181,812.52

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: (63-W-29) (LA-1) SMITH OPTION

S.W.L. (AFTER CASING):

LOG ID: 023733

WELL TYPE Private Well

DRILL DATE:

1965/07/30

TOWNSHIP

SECTION RANGE

ELEVATION: 1,029FT

DRILL DEPTH:

250FT

35N 15W

UTM X

DEPTH TO BED: 130FT

541,970.59

UTMY 4,183,011.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

160

REMARKS: TOUTLAND 7.5 -

S.W.L. (AFTER CASING):

LOG ID: 023861

WELL TYPE Private Well

DRILL DATE:

1965/09/01

TOWNSHIP 35N

RANGE SECTION **ELEVATION:**

1,176FT

DRILL DEPTH:

200FT

15W 10

UTM X UTM Y

DEPTH TO BED:

15FT

115

538,697.62 4,181,808.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: STOUTLAND 7.5 - 2.5 MI NE OF SLEEPER ON HWY JJ

S.W.L. (AFTER CASING):

LOG ID: 023608

WELL TYPE

Private Well

1965/05/15

TOWNSHIP 35N

REMARKS:

SECTION RANGE

ELEVATION: 1,201FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

101FT

5FT

41

15W

11

538.940.64

UTM X

4,180,943.48

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

STOUTLAND 7.5 - 2 MI NE OF SLEEPER

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013647

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1955/05/05 TOWNSHIP RANGE SECTION ELEVATION: 1,062FT

285FT 35N 15W 12

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 541,928.62 4,181,579.50

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: STOUTLAND 7.5 - 2.25 AIR MI JCT HWYS 66 & T

S.W.L. (AFTER CASING): 175

LOG ID: 013516 WELL TYPE Private Well

DRILL DATE: 1954/09/26 TOWNSHIP RANGE SECTION ELEVATION: 1,203FT

DRILL DEPTH: 256FT 35N 15W 15

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 55FT 538,641.65 4,180,406.47

STOUTLAND 7.5 - 2.5 MI NE OF SLEEPER

S.W.L. (BEFORE CASING): FT DEMARKS OF SUPERIOR OF SUPERIOR

REMARKS:

S.W.L. (AFTER CASING): 221

LOG ID:

WELL TYPE

004188 Noncommunity Public Well

DRILL DATE: 1937/04/15 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,205FT

<u>DRILL DEPTH:</u> 226FT 35N 15W 16

UTM X UTM Y

<u>DEPTH TO BED:</u> 60FT 535,794.66 4,179,389.45 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: STOUTLAND 7.5 - AT STOUTLAND

S.W.L. (AFTER CASING): 30

LOG ID: 023677

WELL TYPE
Private Well

DRILL DEPTH: 225FT 35N 15W 16

DEPTH TO BED: 15FT 535,694.66 4,179,494.45

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING):

REMARKS: STOUTLAND 7.5 - @ N EDGE OF STOUTLAND; SKIP 110-175

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011075

DRILL DEPTH:

WELL TYPE Private Well

132FT

29

1947/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 35N 15W 18

ELEVATION:

1,106FT **UTMY**

UTM X DEPTH TO BED: 20FT 532,284.67

4,179,428.44

ZONE 15

S.W.L. (BEFORE CASING): FT

ELDRIDGE EAST 7.5 - 6 MI NE OF LEBANON **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023840

WELL TYPE Private Well

DRILL DATE: 1965/08/12 **TOWNSHIP SECTION RANGE**

ELEVATION: 1,198FT

DRILL DEPTH: 265FT 35N 15W 21

UTM X UTMY

DEPTH TO BED: 160FT

4,179,239.46 536,149.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: STOUTLAND 7.5 - OLD WELL DEEPENED 160-265'

S.W.L. (AFTER CASING): 195

LOG ID: 021520

WELL TYPE Private Well

DRILL DATE: 1963/02/22

TOWNSHIP RANGE SECTION

ELEVATION: 1,157FT

DRILL DEPTH: 245FT 35N 15W 25

UTM X UTM Y

DEPTH TO BED: 50FT 541,811.71 4,176,121.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

195

REMARKS: OAKLAND 7.5

35N

S.W.L. (AFTER CASING):

LOG ID: 023133

WELL TYPE Private Well

1964/09/18 **DRILL DATE:**

SECTION TOWNSHIP RANGE 15W

ELEVATION: 1,113FT

DRILL DEPTH:

269FT

UTM X UTM Y

> 536.312.70 4,177,423.45

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

OAKLAND 7.5 - 1 MI S OF SLEEPER; SKIP 150-200' **REMARKS:**

28

S.W.L. (AFTER CASING): 154



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017962

WELL TYPE Private Well

1958/12/18 DRILL DATE:

TOWNSHIP RANGE 35N 15W

SECTION

ELEVATION:

1,138FT

DRILL DEPTH:

225FT 25FT 30

UTM X 532,621.71

UTMY 4,176,620.43

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

FT

FT

FT

LEBANON 7.5 **REMARKS:**

S.W.L. (AFTER CASING):

125

LOG ID: 004411

WELL TYPE Private Well

DRILL DATE:

1937/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

1,200FT

DRILL DEPTH:

105FT

35N 15W 31

UTM X 532,702.72

UTMY 4,175,855.43

DEPTH TO BED:

20FT

60

REMARKS:

LEBANON 7.5 - 3 MI NE OF LEBANON

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

007111

LOG ID:

Private Well

DRILL DATE:

1941/07/01

TOWNSHIP 35N

RANGE

SECTION 32

ELEVATION:

1,256FT

DRILL DEPTH:

252FT

15W

UTM X 533,828.73

ZONE 15

UTM Y 4,174,604.43

DEPTH TO BED:

85FT

150

REMARKS:

OAKLAND 7.5 - 5 MI E OF LEBANON ON HWY 66; DEEPENED TO

350' BY WALLACE

LOG ID:

WELL TYPE

009245

Private Well

DRILL DATE:

1946/08/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,260FT

DRILL DEPTH:

DEPTH TO BED:

571FT

50FT

35N

15W 32

UTM X

UTM Y

534.328.73

4,174,706.44

ZONE 15

REMARKS: OAKLAND 7.5 - 4 MI NE OF LEBANON ON HWY 66, 150' SW OF

WELL #1

S.W.L. (AFTER CASING): 174

S.W.L. (BEFORE CASING):

2/27/2007

3,116



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012407

WELL TYPE Private Well

1953/07/23 DRILL DATE:

TOWNSHIP 35N

RANGE SECTION 32

ELEVATION: 1,278FT

DRILL DEPTH: 295FT 15W

UTM X **UTMY** 534,228.73 4,174,604.44

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

135

45FT

REMARKS: OAKLAND 7.5 -

S.W.L. (AFTER CASING):

FT

LOG ID: 026160

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 35N

SECTION RANGE

ELEVATION: 1,140FT

DRILL DEPTH:

125FT

80

15W 33

> **UTM X UTMY**

DEPTH TO BED: 10FT

535,675.72 4,175,411.44 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OAKLAND 7.5 - 3 MI E OF LEBANON ON HWY 66, THEN 0.5 MI S.

S.W.L. (AFTER CASING):

LOG ID:

024380

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP 35N

RANGE

ELEVATION:

1,225FT

4,174,907.47

DRILL DEPTH:

153FT

15W 36

UTM X UTM Y

DEPTH TO BED:

25FT

95

541,577.72

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:**

formerly in name of Charles Reading - OAKLAND 7.5

SECTION

S.W.L. (AFTER CASING):

LOG ID: 013515

WELL TYPE

Private Well

DRILL DATE:

1954/09/01

TOWNSHIP RANGE **SECTION** 10

ELEVATION:

1,178FT

DRILL DEPTH:

240FT

55FT

16W

UTM X UTM Y

528.695.63

4,181,753.43

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS: ELDRIDGE EAST 7.5

35N

S.W.L. (AFTER CASING):

171



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024252

DEPTH TO BED:

WELL TYPE Private Well

1965/11/08 DRILL DATE:

TOWNSHIP RANGE 35N

SECTION

ELEVATION:

1,165FT

UTMY

4,180,976.43

1,203FT

DRILL DEPTH: 235FT 16W 14

UTM X

528,938.64

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **ELDRIDGE EAST 7.5**

S.W.L. (AFTER CASING):

165

50FT

LOG ID: 020752

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP SECTION RANGE 22

DRILL DEPTH: 405FT

110FT

35N 16W

UTM X UTMY

528,242.69 4,177,907.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: LEBANON 7.5

S.W.L. (AFTER CASING):

LOG ID: 028709

DEPTH TO BED:

WELL TYPE

Community Public Well

360

DRILL DATE:

1989/11/27

TOWNSHIP

RANGE SECTION 23

ELEVATION: 1,230FT

DRILL DEPTH:

1,095FT

35N 16W

UTM X UTM Y

DEPTH TO BED:

50FT

528,795.68 4,178,572.42

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

396

REMARKS:

LOG ID: 013711

WELL TYPE

Private Well

DRILL DATE:

1955/05/05

TOWNSHIP RANGE

35N

SECTION

ELEVATION:

1,174FT

DRILL DEPTH:

DEPTH TO BED:

336FT 130FT 16W 24

UTM X UTM Y

531.992.68

4,178,365.43

S.W.L. (BEFORE CASING):

FT

REMARKS:

ELDRIDGE EAST 7.5 - OLD WELL DEEPENED 130-336'; 5 AIR MI NE

ZONE 15

OF LEBANON S.W.L. (AFTER CASING): 190



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025264

DRILL DEPTH:

WELL TYPE Private Well

1967/08/22 DRILL DATE:

300FT

DEPTH TO BED: 25FT **TOWNSHIP RANGE SECTION** 35N 16W

24

ELEVATION:

1,178FT

UTM X 531,792.69

UTMY 4,178,262.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

ELDRIDGE EAST 7.5 REMARKS:

LOG ID: 021808

WELL TYPE Private Well

DRILL DATE:

1963/05/03

TOWNSHIP 35N

RANGE

SECTION

ELEVATION:

1,201FT

DRILL DEPTH:

DEPTH TO BED:

30FT

16W 25

UTM X

UTMY 4,177,466.43

531,575.70

S.W.L. (BEFORE CASING):

FT

183

REMARKS: LEBANON 7.5 ZONE 15

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 021344

Private Well

DRILL DATE:

1962/08/10

TOWNSHIP

RANGE 16W

SECTION

ELEVATION:

1,185FT

DRILL DEPTH:

380FT

35N

27

UTM X

UTM Y

DEPTH TO BED:

120FT

528,617.70 4,177,517.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LEBANON 7.5 - 3 MI N OF LEBANON ON HWY 5

S.W.L. (AFTER CASING):

237

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

011070 **DRILL DATE:**

1947/08/25

105FT

20FT

TOWNSHIP 35N

RANGE 16W

SECTION 28

ELEVATION:

UTM X

1,127FT

UTM Y 4,177,045.40

526.280.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

LEBANON 7.5 - 1.5 MI W OF HWY 5 **REMARKS:**

S.W.L. (AFTER CASING):

30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010894

WELL TYPE

Noncommunity Public Well

1949/04/26 DRILL DATE:

DRILL DEPTH: 182FT

REMARKS:

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 173 **TOWNSHIP RANGE SECTION** 35N 16W

29

3

ELEVATION:

1,187FT

UTMY

UTM X

524,518.70 4,176,968.39

ZONE 15

LOG ID: 004349

WELL TYPE Private Well

DRILL DATE:

1937/07/01

TOWNSHIP

SECTION RANGE

YIELD 1.5 GPM - LEBANON QUAD

ELEVATION:

1,170FT

DRILL DEPTH:

241FT

35N 16W

UTM X

UTMY

DEPTH TO BED: 50FT 527,922.61

4,182,756.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **ELDRIDGE EAST 7.5 - NEAR DOVE**

S.W.L. (AFTER CASING): 195

LOG ID: 009772

WELL TYPE

Private Well

DRILL DATE: 1946/11/27

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,123FT

DRILL DEPTH:

175FT

35N 16W 3

> UTM X UTM Y

DEPTH TO BED: 80FT 528,622.60

4,183,276.44

ZONE 15

S.W.L. (BEFORE CASING):

131

FT

REMARKS: ELDLRIDGE EAST 7.5 - 8 MI N OF LEBANON OFF OF HWY 5

S.W.L. (AFTER CASING):

LOG ID: 004139

WELL TYPE

Private Well

DRILL DATE:

DEPTH TO BED:

1937/03/01

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,259FT

DRILL DEPTH:

172FT 30FT 35N 16W 35

> UTM X UTM Y

529.465.73

4,174,601.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

LEBANON 7.5 - 3 MI N OF LEBANON ON HWY 5 **REMARKS:**

S.W.L. (AFTER CASING):

147



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026112

DRILL DEPTH:

WELL TYPE Private Well

1966/05/25 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,220FT

> 35N 16W 35 205FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 55FT 529,865.73 4,174,819.42

LEBANON 7.5

ZONE 15

S.W.L. (AFTER CASING): 160

S.W.L. (BEFORE CASING):

LOG ID: 013755

WELL TYPE Private Well

DRILL DATE: 1955/07/28 **TOWNSHIP SECTION RANGE ELEVATION:** 1,088FT

35N 17W 11 DRILL DEPTH: 330FT

UTM X UTMY DEPTH TO BED: 25FT 519,088.60 4,182,770.39

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: **ELDRIDGE WEST 7.5**

FT

S.W.L. (AFTER CASING): 250

LOG ID: 015559

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/08/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1,048FT

> 35N 17W 11 302FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 195FT 520,288.62 4,182,158.39

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS: ELDRIDGE WEST 7.5**

200 S.W.L. (AFTER CASING):

LOG ID: 027181

WELL TYPE Private Well

1969/03/18 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,087FT

35N 17W 11 **DRILL DEPTH:** 281FT

UTM X UTM Y DEPTH TO BED: 50FT 519.088.60 4,182,770.39

ZONE 15

S.W.L. (BEFORE CASING): FT ELDRIDGE WEST 7.5 - 1 MI W OF PROSPERINE **REMARKS:**

221 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024386

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/08/07 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,068FT

<u>DRILL DEPTH:</u> 425FT 35N 17W 2

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 25FT 519,710.58 4,184,180.40

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Earl E. Lee - ELDRIDGE WEST 7.5

S.W.L. (AFTER CASING): 250

LOG ID: 015712

WELL TYPE Private Well

DRILL DATE: 1956/10/05 TOWNSHIP RANGE SECTION ELEVATION: 889FT

DRILL DEPTH: 177FT 35N 17W 30

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 513,123.65 4,177,835.37

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BENNETT SPRINGS 7.5 - 1 MI N OF BRIDGE ON HWY 64 @

S.W.L. (AFTER CASING): 35 BENNETT SPRINGS

LOG ID:

WELL TYPE

002532 Noncommunity Public Well

<u>DRILL DATE:</u> 1932/03/12 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 882FT

<u>DRILL DEPTH:</u> 485FT 35N 17W 31

UTM X UTM Y

<u>DEPTH TO BED:</u> 10FT 512,679.68 4,175,208.36

S.W.L. (BEFORE CASING): FT PEMARKO PENNETT OPRINCO 7.5

REMARKS: BENNETT SPRINGS 7.5

S.W.L. (AFTER CASING): 35

LOG ID:

DRILL DEPTH:

WELL TYPE

023720 Noncommunity Public Well

600FT

<u>DRILL DATE:</u> 1965/07/01 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 878FT

<u>UTM X</u> <u>UTM Y</u>

17W

31

<u>DEPTH TO BED:</u> 25FT 512,389.67 4,175,880.36

ZONE 15

35N

S.W.L. (BEFORE CASING): 15 FT REMARKS: BENNETT SPRINGS 7.5

S.W.L. (AFTER CASING): 15 FT



RANGE

RANGE

RANGE

14W

14W

17W

SECTION

31

SECTION

13

SECTION

13

RICHLAND 7.5 - ON HWY 153 AT S EDGE OF RICHLAND

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

512,635.68

ELEVATION:

UTM X

551,849.48

ELEVATION:

UTM X

551,849.48

ZONE 15

ZONE 15

884FT

UTMY

4,175,369.36

1,122FT

UTMY

4,188,907.59

1,112FT

UTM Y

4,188,907.59

LOG ID: 023770

DRILL DEPTH:

LOG ID:

WELL TYPE

Noncommunity Public Well

1965/10/14 DRILL DATE:

600FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

15 FT **REMARKS:** FT 16

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 013424

DRILL DATE: 1955/03/14

DRILL DEPTH: 265FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

190

FT

REMARKS:

REMARKS:

RICHLAND 7.5 - 1 MI S OF RICHLAND

TOWNSHIP

36N

TOWNSHIP

36N

TOWNSHIP

35N

210

LOG ID: 022098

WELL TYPE

Private Well

DRILL DATE: 1963/06/04

DRILL DEPTH: 330FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

LOG ID: 011034

WELL TYPE

Private Well

1949/06/17 **DRILL DATE:**

DRILL DEPTH: 140FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

TOWNSHIP 36N

RANGE SECTION

24

ELEVATION:

988FT

UTM X UTM Y

ZONE 15

551,429.49 4,188,120.59

ZONE 15

RICHLAND 7.5 - 2 MI SW OF RICHLAND **REMARKS:**

14W

80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023829

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,028FT

> 36N 14W 24 215FT

DRILL DEPTH: UTM X **UTMY DEPTH TO BED:**

551,829.49 4,188,322.59

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS: RICHLAND 7.5**

S.W.L. (AFTER CASING): 145

LOG ID: **WELL TYPE**

Noncommunity Public Well 011967

TOWNSHIP SECTION DRILL DATE: 1951/03/26 **RANGE ELEVATION:** 998FT

36N 14W 25 DRILL DEPTH: 125FT

REMARKS:

UTM X UTMY DEPTH TO BED: 5FT 550,397.52 4,186,294.57

RICHLAND 7.5 - 3 MI SW OF RICHLAND

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 60

LOG ID: **WELL TYPE** Private Well 012075

DRILL DATE: 1951/05/16 **TOWNSHIP RANGE SECTION ELEVATION:** 971FT

36N 14W 25 **DRILL DEPTH:** 135FT

UTM X UTM Y **DEPTH TO BED:** 550,597.51 4,186,918.57 15FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: RICHLAND 7.5 - 3.5 MI SW OF RICHLAND, 2.5 MI S OF HWY 133

80 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 011965

1951/05/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,018FT

36N 14W 26 **DRILL DEPTH:** 95FT UTM X UTM Y

DEPTH TO BED: 549.087.51 4,186,830.57 15FT

ZONE 15 S.W.L. (BEFORE CASING): FT

RICHLAND 7.5 - 4 MI SW OF RICNLAND, 0.75 MI W OF EUREKA **REMARKS:**

CHURCH 25 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017909

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,024FT

DRILL DEPTH: 170FT 36N 14W 26

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 65FT 550,187.52 4,186,522.57

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RICHLAND 7.5 - NO PRODUCTION OR CONSTRUCTION DATA

RICHLAND 7.5 (?) - 4 MI NE OF STOUTLAND

S.W.L. (AFTER CASING):

LOG ID: 026750

WELL TYPE
Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,093FT

DRILL DEPTH: 165FT 36N 14W 27

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 547,871.52 4,186,457.56

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010696 WELL TYPE Private Well

DRILL DATE: 1946/11/01 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,176FT

<u>DRILL DEPTH:</u> 126FT 36N 14W 31

<u>UTM X</u> <u>UTM Y</u> <u>PTH TO BED:</u> 35FT 543,032.55 4,185,258.53

<u>DEPTH TO BED:</u> 35FT 543,032.55 4,185,25 zone 15

S.W.L. (BEFORE CASING): FT REMARKS: STOUTLAND 7.5

S.W.L. (AFTER CASING): 81

LOG ID: 010702

WELL TYPE Private Well

DRILL DATE: 1946/09/01 TOWNSHIP RANGE SECTION ELEVATION: 1,138FT

36N

DRILL DEPTH: 185FT UTM Y UTM Y UTM Y

14W

31

<u>DEPTH TO BED:</u> 25FT 543,232.54 4,185,700.53
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: STOUTLAND, 100' N OF SCHOOL

S.W.L. (AFTER CASING): 130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025771

WELL TYPE

Community Public Well

DRILL DATE:

1968/08/01

TOWNSHIP 36N

SECTION

ELEVATION:

1,165FT

DRILL DEPTH:

1,235FT

14W 31

> UTM X 542,986.55

UTMY 4,185,345.53

DEPTH TO BED:

30FT

35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

230 263

REMARKS:

STOUTLAND 7.5 - IN STOUTLAND

RANGE

LOG ID: 024225

WELL TYPE Private Well

DRILL DATE:

1966/02/16

TOWNSHIP

SECTION RANGE

ELEVATION:

1,002FT

DRILL DEPTH:

245FT

36N 14W

UTM X

DEPTH TO BED:

25FT

134

UTMY 4,184,902.55

549,556.55

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

FT

REMARKS: RICHLAND 7.5 -

ZONE 15

LOG ID: 023308

WELL TYPE

Private Well

DRILL DATE:

1964/12/26

TOWNSHIP

RANGE

SECTION 17

18

ELEVATION:

1,171FT

DRILL DEPTH:

300FT

36N 15W

UTM X

UTMY

DEPTH TO BED:

535,047.49 4,189,181.51

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

215

LOG ID:

WELL TYPE Private Well

023839

1965/10/01

TOWNSHIP 36N

SECTION RANGE

ELEVATION:

1,125FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

290FT

15W

UTM X

UTM Y

533.648.46

4,190,697.50

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

165FT

REMARKS:

STOUTLAND 7.5 - 1 MI NE OF JUN

2/27/2007

3,126



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023395

DEPTH TO BED:

WELL TYPE Private Well

1964/10/28 DRILL DATE:

TOWNSHIP RANGE SECTION 36N 15W 31

ELEVATION: 1,110FT

DRILL DEPTH: 250FT

UTM X 532,368.57

UTMY 4,184,723.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

ELDRIDGE EAST 7.5 - 10 MI N OF LEBANON ON HWY BB, POOR

SAMPLES

LOG ID: 013519

WELL TYPE Private Well

DRILL DATE:

1954/09/01

TOWNSHIP

SECTION RANGE

ELEVATION: 1,086FT

DRILL DEPTH:

DEPTH TO BED:

150FT 40FT

129

305

5FT

188

36N 15W 7

> **UTM X UTMY**

532,482.46 4,191,205.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **ELDRIDGE EAST 7.5 -**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

021345

DRILL DATE: 1962/09/24 **TOWNSHIP RANGE SECTION** 36N 7

ELEVATION: 1,133FT

DRILL DEPTH: 390FT 15W

UTM X UTM Y

DEPTH TO BED: 45FT 533,282.44 4,192,101.51 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MONTREQAL 7.5 -

S.W.L. (AFTER CASING):

LOG ID: 024351

WELL TYPE Private Well

DRILL DATE:

1966/05/13

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,016FT

DRILL DEPTH:

DEPTH TO BED:

250FT

10FT

36N 16W 13

> UTM X UTM Y 4,190,423.49

530.965.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

ELDRIDGE EAST 7.5 - FILLED CAVITY 105-170' **REMARKS:**

S.W.L. (AFTER CASING): 150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024081

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1965/10/07 DRILL DATE:

400FT

65FT

S.W.L. (BEFORE CASING):

FT

FT

ELDRIDGE EAST 7.5 - 2 MI E OF ELDRIDGE **REMARKS:**

RANGE

16W

S.W.L. (AFTER CASING): 267

LOG ID: 013518

WELL TYPE Private Well

DRILL DATE:

1954/09/01

TOWNSHIP 36N

TOWNSHIP

36N

RANGE

SECTION 23

SECTION

21

ELEVATION:

530,521.50

ELEVATION:

UTM X

527,079.53

ZONE 15

ZONE 15

1,020FT

1,129FT

UTMY

4,187,666.45

DRILL DEPTH:

268FT

16W

UTM X

UTMY 4,189,038.48

DEPTH TO BED: 15FT

125

REMARKS: **ELDRIDGE EAST 7.5 -**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012748

WELL TYPE

Outcrop Description

DRILL DATE:

1954/07/01

64FT

TOWNSHIP 36N

RANGE 16W

SECTION 28

ELEVATION:

1,070FT

DRILL DEPTH:

UTM X 526,941.55

UTMY 4,186,356.44

DEPTH TO BED:

ELDRIDGE EAST 7.5

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021363

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1962/00/00

TOWNSHIP

350FT

35FT

36N

RANGE 16W

SECTION 28

ELEVATION:

1,112FT

UTM X UTM Y

ZONE 15

527.141.54

4,186,977.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

ELDRIDGE EAST 7.5 - AT DOVE, NO PRODUCTION OR

CONSTRUCTION DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002142

WELL TYPE

Exploratory Hole (Mineral Prospect)

1925/09/22 DRILL DATE:

TOWNSHIP RANGE

36N

REMARKS:

REMARKS:

ELEVATION:

941FT

DRILL DEPTH:

164FT

16W 3

SECTION

4

SECTION

UTM X **UTMY**

ZONE 15

21FT

528,026.43

4,193,326.48

DEPTH TO BED: S.W.L. (BEFORE CASING):

NO FORMATIONS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID: 003724

WELL TYPE Private Well

DRILL DATE:

1936/09/06

TOWNSHIP

RANGE

SECTION ELEVATION: 1,008FT

DRILL DEPTH:

90FT

36N 16W

UTM X

ZONE 15

526,001.44

UTMY 4,193,150.47

DEPTH TO BED:

65FT

formerly in name of Pauline Berry - DECATURVILLE 7.5 - ONLY

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

DESCRIBED 65-75'

LOG ID:

WELL TYPE

013938

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1955//

TOWNSHIP 36N

RANGE

ELEVATION:

1,045FT

4,194,005.46

DRILL DEPTH:

700FT

16W 5

> UTM X **UTMY**

DEPTH TO BED:

10FT

524,777.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DECATURVILLE 7.5 - MINERAL TEST - Well #C1

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014992

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1956//

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,045FT

DRILL DEPTH:

DEPTH TO BED:

331FT

20FT

36N

16W 5

> UTM X UTM Y

525.277.44

ZONE 15

4,193,488.46

S.W.L. (BEFORE CASING):

Well #C29 - DECATURVILLE 7.5 - CORE - NO MISSING SAMPLES **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014997

WELL TYPE

Exploratory Hole (Mineral Prospect)

1956/00/00 DRILL DATE:

TOWNSHIP RANGE

36N

36N

ELEVATION:

1,045FT

DRILL DEPTH:

295FT

16W

UTM X UTMY 4,193,281.46

DEPTH TO BED:

10FT

525,077.44

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

REMARKS:

Well #C18 - DECATURVILLE 7.5 - DECATURVILLE STRUCTURE,

SECTION

5

MINERAL TEST

LOG ID:

WELL TYPE

019976

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

DRILL DEPTH: DEPTH TO BED:

15FT

700FT

SECTION 16W 5

RANGE

ELEVATION: 1,045FT

ZONE 15

UTM X 524,777.43

UTMY 4,194,005.46

SKIPPED INTERVALS - - CAUTION !!! - Log #19976 was also

DECATURVILLE 7.5 - DECATURVILLE STRUCTURE; MANY

LOG ID:

WELL TYPE

019978

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,045FT

DRILL DEPTH:

670FT

36N 16W 5

> **UTM X** 524,577.43

UTMY 4,194,005.46

DEPTH TO BED:

5FT

ZONE 15

Well #C3 - DECATURVILLE 7.5 - DECATURVILLE STRUCTURE - -

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

CAUTION!!!-

LOG ID:

WELL TYPE

019993

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE SECTION

16W

ELEVATION:

UTM X

524.577.43

ZONE 15

1,045FT

DRILL DEPTH:

DEPTH TO BED:

295FT 20FT 5

UTM Y 4,194,005.46

36N

REMARKS:

Well #C18 - DECATURVILLE 7.5 - CORE - MANY MISSING

INTERVALS (19O-385")

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019994

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

451FT

SECTION 5

ELEVATION: 1,040FT

UTM X UTMY 4,194,005.46

524,577.43 ZONE 15

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:

Well #C19 - DECATURVILLE 7.5 - CORE - MANY MISSING SAMPLES

- REPEATED SECTION

RANGE

16W

LOG ID:

WELL TYPE

019996

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

36N

TOWNSHIP

36N

RANGE SECTION **ELEVATION:**

1,040FT

DRILL DEPTH:

400FT

16W

UTM X

UTM Y 4,194,005.46

DEPTH TO BED:

10FT

5

524,577.43 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

Well #C21 - DECATURVILLE 7.5 - CORE - REPEATED DERBY-DAVIS

SEQUENCE

LOG ID:

WELL TYPE

019998

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

16W

RANGE

ELEVATION: UTM X

524,377.43

1,060FT

DRILL DEPTH:

240FT

5

SECTION

UTMY

DEPTH TO BED:

20FT

4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #C23 - DECATURVILLE 7.5 - CORE

RANGE

16W

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020000

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

DRILL DEPTH:

DEPTH TO BED:

400FT 5FT

ELEVATION: 1,040FT

UTM X 524.577.43

ZONE 15

UTM Y 4,194,005.46

S.W.L. (BEFORE CASING):

Well #C26 - DECATURVILLE 7.5 - CORE - REPEATED SECTION **REMARKS:**

SECTION

5

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020001

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

36N

REMARKS:

REMARKS:

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,060FT

DRILL DEPTH:

410FT

16W

5

UTM X

UTMY 4,194,005.46

DEPTH TO BED:

15FT

524,377.43

Well #C28 - DECATURVILLE 7.5 - MINERAL TEST CORE

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020002

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

ZONE 15

1,060FT

DRILL DEPTH:

300FT

36N

16W

UTM X

UTMY

DEPTH TO BED:

15FT

524,377.43

4,194,005.46

Well #C29 - DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

020003

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE

SECTION

5

ELEVATION:

1,060FT

DRILL DEPTH:

410FT

36N 16W

UTM X

UTMY 4,194,005.46

DEPTH TO BED:

30FT

524,377.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #C30 - DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020004

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

UTM X

1,060FT

DRILL DEPTH:

DEPTH TO BED:

135FT 10FT 16W 5

UTM Y

524.377.43

ZONE 15

4,194,005.46

S.W.L. (BEFORE CASING):

REMARKS:

Well #C31 - DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020005

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

210FT

DRILL DATE:

TOWNSHIP RANGE SECTION 36N

16W 5

> UTM X **UTMY**

1,060FT

DEPTH TO BED: 25FT 524,377.43

ELEVATION:

4,194,005.46 ZONE 15

S.W.L. (BEFORE CASING):

Well #C32 - DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020006

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE

SECTION 36N 16W

ELEVATION: 1,040FT

DRILL DEPTH: 220FT

UTM X

UTMY

DEPTH TO BED: 5FT

4,194,005.46 524,577.43 ZONE 15

REMARKS: Well #C33 - DECATURVILLE 7.5 - MINERAL TEST CORE

SECTION

5

5

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

020007

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE

36N

TOWNSHIP

36N

ELEVATION: 1,060FT

DRILL DEPTH: 380FT

UTM X

UTMY

DEPTH TO BED: 5FT 524,377.43 4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DECATURVILLE 7.5 - MINERAL TEST CORE

16W

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020009

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

370FT

RANGE SECTION 16W 5

ELEVATION: 1,060FT

524.377.43

UTM X

UTM Y

DEPTH TO BED: 10FT

4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - CORE - MANY SKIPPED INTERVALS **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020011

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

RANGE SECTION 5

ELEVATION:

1,076FT

DRILL DEPTH:

175FT

16W

UTM X

UTMY

DEPTH TO BED:

5FT

525,077.44

4,193,281.46

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - CORE REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020012

Exploratory Hole (Mineral Prospect)

DRILL DATE:

55FT

TOWNSHIP

36N

36N

RANGE

SECTION

5

5

ELEVATION: 1,060FT

DRILL DEPTH:

36N

16W

UTM X

UTMY

DEPTH TO BED: 5FT 524,377.43

4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - CORE - TWO SAMPLES **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020013

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

DRILL DEPTH:

30FT

RANGE SECTION 16W

ELEVATION: 1,060FT

UTM X

UTMY

DEPTH TO BED:

5FT

524,377.43 4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020014

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

20FT

RANGE SECTION 16W 5

ELEVATION: 1,060FT

DRILL DEPTH:

UTM X

UTM Y 4,194,005.46

DEPTH TO BED:

5FT

524,377.43 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020015

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

50FT

10FT

DRILL DATE:

TOWNSHIP RANGE SECTION 36N

16W 5

> UTM X **UTMY**

524,377.43 4,194,005.46

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020016

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE

36N 16W 5

ELEVATION: 1,060FT

DRILL DEPTH: 50FT

UTM X

ELEVATION:

524,377.43

UTMY 4,194,005.46

1,060FT

524,377.43

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020018 Exploratory Hole (Mineral Prospect)

15FT

DRILL DATE:

TOWNSHIP RANGE SECTION

1,060FT

4,194,005.46

DRILL DEPTH:

150FT

36N 16W 5

DECATURVILLE 7.5 - CORE TEST

SECTION

5

UTM X **UTMY**

ZONE 15

DEPTH TO BED:

36N

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020031

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE 16W

ELEVATION: 1,060FT

DRILL DEPTH: DEPTH TO BED: 150FT 5FT

UTM X UTM Y

524,377.43 4,194,005.46

ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - MINERAL TEST REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020032

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

RANGE SECTION 5

ELEVATION:

1,060FT

DRILL DEPTH: DEPTH TO BED: 380FT

16W

UTM X 524,377.43

UTMY 4,194,005.46

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5FT

REMARKS:

DECATURVILLE 7.5 - MINERAL PROSPECT, MANY SKIPPED

INTERVALS

LOG ID:

WELL TYPE

020051

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE

SECTION

5

ELEVATION: 1,076FT

ZONE 15

DRILL DEPTH:

515FT

36N

16W

UTM X

UTMY

DEPTH TO BED:

5FT

525,077.44

4,193,281.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

Well #C86 - DECATURVILLE 7.5 - MANY SKIPPED INTERVALS

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020052

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,076FT

DRILL DEPTH:

155FT

36N 16W

UTM X

UTMY

DEPTH TO BED:

10FT

525,077.44 4,193,281.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

Well #C87 - DECATURVILLE 7.5 - MINERAL TEST CORE

5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002140

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1925/08/01

TOWNSHIP 36N

RANGE

SECTION

ELEVATION:

1,050FT

DRILL DEPTH:

738FT

16W 6

> UTM X 524.125.43

> > ZONE 15

UTM Y 4,194,068.46

DEPTH TO BED:

DECATURVILLE 7.5 - PROSPECT HOLE **REMARKS:**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002141

WELL TYPE

Exploratory Hole (Mineral Prospect)

1925/09/01 DRILL DATE:

36N 16W 6 **DRILL DEPTH:** 650FT

UTM X **UTMY** DEPTH TO BED: 524,125.43 4,194,068.46

TOWNSHIP

ELEVATION:

ELEVATION:

ZONE 15

1,045FT

1,007FT

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - MINERAL PROSPECT **REMARKS**:

RANGE

SECTION

Well #C28 - DECATURVILLE 7.5 - MINERAL TEST

6

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 002143

DRILL DATE: **TOWNSHIP SECTION** 1935/10/21 **RANGE** 36N 16W 6

DRILL DEPTH: 553FT **UTM X** UTM Y DEPTH TO BED: 4FT

523,425.44 4,193,319.45 ZONE 15

S.W.L. (BEFORE CASING): NO TOPS OR FORMATIONS DIDNEITIFE "SHINES OF LEAD" - 2 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014996 Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956/07/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,045FT

36N 16W 6 **DRILL DEPTH:** 445FT

UTM X **UTMY DEPTH TO BED:** 523,425.44 4,193,319.45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020010 Exploratory Hole (Mineral Prospect)

110FT

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,047FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 524.125.43 4,194,068.46

16W

DECATURVILLE 7.5 - CORE

ZONE 15

S.W.L. (BEFORE CASING):

36N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020017

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: **TOWNSHIP RANGE**

> 36N 16W 6

190FT UTM X **UTMY**

SECTION

6

DEPTH TO BED: 5FT 524,125.43 4,194,068.46

ZONE 15

1,047FT

ELEVATION:

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - REPETITIVE SECTION REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 020019

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,047FT

36N 16W DRILL DEPTH: 50FT

UTM X **UTMY**

DEPTH TO BED: 524,125.43 4,194,068.46 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: DECATURVILLE 7.5 - CORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020020 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,047FT

36N 16W 6 **DRILL DEPTH:** 125FT

UTM X **UTMY**

DEPTH TO BED: 524,125.43 4,194,068.46 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS: DECATURVILLE 7.5 - CORE**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020021 Exploratory Hole (Mineral Prospect)

50FT

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,047FT

DRILL DEPTH: UTM X UTM Y

16W

6

DEPTH TO BED: 10FT 524.125.43 4,194,068.46

ZONE 15 S.W.L. (BEFORE CASING):

36N

DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020022

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

140FT

DEPTH TO BED:

5FT

RANGE SECTION 16W 6

ELEVATION:

1,047FT

UTMY

UTM X

524,125.43

4,194,068.46 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

TOWNSHIP

36N

DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020023

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DEPTH TO BED:

TOWNSHIP

REMARKS:

REMARKS:

80FT

5FT

RANGE 36N 16W

SECTION 6

ELEVATION: 1,047FT

DRILL DEPTH:

UTM X

UTMY

524,125.43

4,194,068.46 ZONE 15

S.W.L. (BEFORE CASING):

DECATURVILLE 7.5 - MINERAL TEST CORE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020024

Exploratory Hole (Mineral Prospect)

DRILL DATE:

110FT

TOWNSHIP RANGE SECTION 16W

ELEVATION: 1,047FT

ZONE 15

DRILL DEPTH:

36N

6

DECATURVILLE 7.5 - MINERAL TEST CORE

UTM X **UTMY**

4,194,068.46

DEPTH TO BED:

524,125.43

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 020025

Exploratory Hole (Mineral Prospect)

DRILL DATE:

70FT

TOWNSHIP RANGE 36N 16W

SECTION 6

ELEVATION: 1,047FT

ZONE 15

DRILL DEPTH:

UTM X 524.125.43

UTM Y 4,194,068.46

DEPTH TO BED: 5FT

DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020026

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

36N 16W 6

DRILL DEPTH: 95FT

<u>DEPTH TO BED:</u> 5FT 524,125.43 4,194,068.46

ZONE 15

1,047FT

UTMY

1,047FT

ELEVATION:

UTM X

S.W.L. (BEFORE CASING):

REMARKS: DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020027 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION

DRILL DEPTH: 190FT 36N 16W 6

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 524,125.43 4,194,068.46

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE 7.5 - MINERAL TEST CORE

S.W.L. (AFTER CASING):

LOG ID: 019260

WELL TYPE

Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 987FT

DRILL DEPTH: 50FT 36N 16W 8

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 5FT 525,735.46 4,192,178.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DECATURVILLE 7.5 - IN DECATURVILLE STRUCTURE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019261 Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,000FT

36N

<u>DRILL DEPTH:</u> 60FT UTM X UTM Y

16W

9

<u>DEPTH TO BED:</u> 5FT 525,963.46 4,192,143.46

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: ELDRIDGE EAST 7.5

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026158

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,040FT

36N 17W 17 **DRILL DEPTH:** 145FT

UTM X **UTMY** DEPTH TO BED: 25FT 515,467.46 4,190,981.40

ZONE 15

S.W.L. (BEFORE CASING): ELDRIDGE WEST 7.5 - 4.5 MI N OF ELDRIDGE ON HWY NN **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 002186

DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 870FT

36N 2 17W DRILL DEPTH: 1,062FT

UTM X UTMY DEPTH TO BED: 4,193,890.43

520,020.43 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: HAHATONKA 7.5 - CABLE TOOL SAMPLES, SW OF DECATURVILLE

S.W.L. (AFTER CASING):

LOG ID: 026159

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,050FT

36N 17W 21 **DRILL DEPTH:** 200FT

REMARKS:

REMARKS:

UTM X UTM Y

DEPTH TO BED: 35FT 516,848.49 4,189,316.40 ZONE 15

ELDRIDGE WEST 7.5 - 4 MI N OF ELDRIDGE ON HWY NN

ELDRIDGE WEST 7.5 - NEAR NIANGUA RIVER

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004901

WELL TYPE Private Well

1938/07/09 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:**

36N 17W 30 **DRILL DEPTH:** 130FT

DEPTH TO BED: 513.940.52 4,186,930.39

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): Driller's Log Attached



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004947

WELL TYPE Private Well

DRILL DATE: 1938/07/15

TOWNSHIP 36N SECTION 30 **ELEVATION**:

980FT

DRILL DEPTH:

131FT

17W

RANGE

UTM X

<u>UTM Y</u>

DEPTH TO BED:

25FT

88

513,140.50 4,187,784.39

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of J.H. Summak & Carl G. Ross - ELDRIDGE WEST

7.5 -

LOG ID: 013764

WELL TYPE Private Well

DRILL DATE:

1955/07/07

TOWNSHIP

RANGE SECTION

ELEVATION:

1,038FT

DRILL DEPTH:

250FT

36N 17W 35

UTM X

UTM Y

DEPTH TO BED:

10FT

198

519,211.57 4,184,565.40 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS: ELDRIDGE WEST 7.5 -

LACLEDE